



PRODUCT ASSORTMENT

PURE WATER SYSTEM

Introduction Pure Water System	4
A: Pure Water Filters	
Introduction	6
HydroPower [®] Ultra Filter	7
Ion Exchange Resin	
HydroPower® R0 Filter	
HiFlo RO Filter	
HydroPower® RO XXL	
Reverse osmosis filter Overview	
B: Water Fed Pole System	
nLITE® Water Fed Pole system	
nLite [®] Connect Water Fed Pole system	
nLITE® Angle adapter	
nLITE [®] Brushes	
nLITE [®] Power Pad	
nLITE [®] /nLite [®] Connect Accessories	
Systemoverview	
HvdroPower [®] Kits	

TRADITIONAL WINDOW CLEANING

.30
31
.32
.38
.42
.46 50
.51
. 52
. 53
.54

INDOOR WINDOW CLEANING

STINGRAY OS System	57
Indoor Window Cleaning System	59

LITTER PICKING & REACHING AIDS

Introduction	60
Grabber NiftyNabber® Trigger NiftyNabber® Pro	
Paper Picker	61
Waste Collection NiftyNabber® Bagger	61

MAINTENANCE

Introduction62
Microfibre Cloth System Microfibre Cloths, Grading System
Dusting & Brushes Brushes & Dusters
Floor Cleaning 66 Double Bucket / Microfibre Mops & Mop Holder 69 Floor Squeegees 70 Floor Handles 72 Maintenance Tools / Floor Scrapers 73
Washroom Cleaning Toilet Cleaning74
Spare Parts





INNOVATIVE PROFESSIONAL QUALITY AND SUSTAINABLE RESPONSIBILITY.

Since 1964, **UNGER** has been meeting the needs of cleaning professionals who expect maximum quality, efficiency and innovation from their glass and building cleaning products. With each passing year, we have expanded and improved our range; today we are at the forefront of our industry. What is the secret behind becoming number one? Our relentless pursuit of innovative cleaning methods, outstanding quality, trust and excellent customer service, and our partnership with you!

Looking to the future: UNGER's Green Label

Protecting our planet, using its resources responsibly and preserving it for the next generation: Acting sustainably is an essential task for mankind and the cornerstone of the **UNGER** philosophy. This is why we are continuing to develop environmentally friendly solutions. The Green Label range, which contains our first sustainably certified products are just the beginning. The future is green –

as uncompromisingly green as **UNGER**! This year, we are proud to announce that the "MicroWipe 200" microfibre cloth has also been certified by the EU-Ecolabel.



UNGER is proud to hold the **EcoVadis gold sustainability certificate**. But we would much rather let our actions speak for themselves. They prove that sustainability, as well as social

responsibility, belong to our core values. It goes without saying that we will continue to work towards the common good for the next years so we can create a future for all that is worth living.



WINDOW CLEANING PURE WATER SYSTEM

Cleaning with Pure Water

WHAT IS PURE WATER ?

It's water in its purest form, physically processed to remove the minerals that would otherwise lead to limescale spots and streaks.

Such impurities are referred to as **TDS** (total dissolved solids) and are measured in **ppm** (parts per million). The water is considered 100 % demineralised (pure) when TDS is 0 ppm.

ADVANTAGES



EASY: Easy to operate and simple resin change.

FAST: Twice as fast as traditional glass cleaning - just one process.



COST-SAVING: Half the labour costs.

No rental for cherry picker.



ENVIRONMENTALLY FRIENDLY: Glass cleaning completely

without chemical cleaning agents.



SAFE:


Safe working from the ground up to the 6th floor, with no cherry picker or ladder whatsoever.

WHY USE PURE WATER FOR CLEANING?

Pure water contains phenomenal cleaning power – without using any chemicals whatsoever. One-step cleaning with pure water means there is no need to wipe and polish the glass. The pane dries streak-free and without any deposits. It is twice as quick as with traditional glass cleaning and significantly improves the cost calculations*.

Applied with a water fed pole system, such as **UNGER nLITE®**, pure water is a fast, safe and effective method of cleaning, especially at height.

*Prof. Dr. rer.nat. Gerhard Winter, Albstadt-Sigmaringen University, seminar documents February/March 2011



TYPICAL APPLICATIONS



WINDOW AND FACADE CLEANING:

- Fast and effective method great results!
- Easy access to hard to reach areas



PV- AND SOLAR PANEL CLEANING:

- Regular cleaning prevents build up of dirt for greater energy output
- Solar yield can be increased significantly!
- Cleaning with 100 % pure water leaves no streaks or detergent residue

•





PURE WATER SYSTEM

The UNGER Pure Water System



There are 2 recognised methods of pure water production in the window cleaning industry – Reverse Osmosis and Deionisation.

The **UNGER** range includes filters utilising either of these methods - turn to page 21 for more information.



A technological milestone: The new **nLITE**[®] system is the best and most advanced telescopic pole system that has ever existed. Ultra-light materials make work considerably easier. The innovative pole shape ensures noticeably more precision. And thanks to the easy handling of the poles and many intelligent product details, pure water cleaning is done faster than ever before.

With the high-quality material classes used, the **nLITE**[®] system is suitable for every application and every budget and proves to be perfect equipment for every working height - of course with **UNGER** quality "Made in Germany".

INCREASE YOUR POTENTIAL WITH THE UNGER PURE WATER CLEANING SYSTEM



PURE WATER SYSTEM **PURE WATER FILTERS**

Choosing Your Filter System

p. 7

There are 2 recognised methods of pure water production in the window cleaning industry – **Reverse Osmosis** and **Deionisation.**

The **UNGER** range includes filters utilising either of these methods. This page will help you to decide which method suits your cleaning requirements best and will deliver the highest return on your investment.

HYDRO POWER® ULTRA DEIONISATION FILTER (DI)

These filters utilise ion exchange resin which removes ionised salts and impurities from water, producing 100 % deionised pure water, with no waste water.

Though DI filters require a relatively low initial investment when compared to RO, frequent replacement of old resin with new is necessary for 100 % pure water production.

Mobile design and portability, with no need for power or pumps, our DI filters can be easily set up anywhere – all you need is a tap water supply.

RECOMMENDED FOR:

- Areas with soft or medium water hardness level
- Small size filters are ideal for cleaning small to moderate size areas, as well as an entry level solution for professional cleaning
- Large sizes for frequent cleaning of large areas
- Use as final stage of water purification process, after R0 membrane, to achieve 100 % pure water

HYDRO POWER® REVERSE OSMOSIS FILTER (RO)



p. 9

The **UNGER RO** utilizes 3 stage water purification system. First, the combi-pre-filter captures chlorine and sediments from the incoming water, then the water is directed towards 2 RO membranes which remove up to 98 % of dissolved minerals and contaminants.

At this point, the water flow is split into waste water (concentrate) that requires drainage facility and pure water which is directed to DI Polisher where any remaining impurities are filtered by ion exchange resin to produce 100 % pure water.

RECOMMENDED FOR:

- Areas with hard or very hard water level
- Constant, high volume pure water production

PURE WATER FILTERS HYDRO POWER[®] ULTRA FILTER



THE HYDRO POWER® ULTRA SYSTEM

The Most Efficient DI Pure Water System Ever!

The **UNGER HydroPower**[®] Ultra is setting a new standard in deionising filter technology for pure water cleaning. A definite value-add for every professional glass and building cleaner.

Choose from 2 filter sizes. All 3 versions are supplied complete with **Ultra Resin Packs** and integrated **TDS meter** to monitor the outgoing water hardness.





DIUH1 HydroPower® Ultra S

HydroPower® Ultra LC

OVER 30 %* MORE PURE WATER PER RESIN FILLING

DIUH2

HvdroPower® Ultra 🗆

- Every Ultra resin pack contains a pre-portioned amount of UNGER premium ion-exchange resin with a **new formula**, **perfected for glass cleaning**
- The **FloWater technology 2.0** in every Ultra resin pack ensures an efficient flow of water through the whole tank which optimises the **resin saturation**
- Intuitive colour coded system + KeyLock function eliminates risk of operating errors



FASTLOCK QUICK-FIT FASTENER

 Easy to open and close the tank
 Safe, self-locking mechanism with pressure-relief valve

TDS-METER

 Integrated digital measuring device displays the water hardness of the pure water coming out in ppm



ULTRA RESIN PACKS

• Can be changed as easily as a coffee pad in a coffee machine



HIGH-QUALITY METAL CONNECTIONS

Stable quick-fit metal hose connector. Practical shut-off valve
Reliable quick release connectors for hoses

FILTER OUTPUT

In particular the water hardness and the hydrogen carbonate content of the input water have a strong influence on the amount of pure water. The following values correspond to the output of **UNGER HydroPower® Ultra** with *average tap water:*

	HydroPower Ultra S (DIUH1)
	Factor	Value
7	Resin fill	1×6l
	Pure water quantity per resin filling	710 l
	Working hours*	approx. 6 h
	Coverage in m ² **	approx. 600 m ²
	HydroPower Ultra L (DIUH2)
1	Factor	Value
	Resin fill	3 × 6 l
	Pure water quantity per resin filling	2.450 l
	Working hours*	approx. 20 h
	Coverage in m ² **	approx. 2.000 m ²
7	HydroPower Ultra LC (DIUH	3)
	Factor	Value
4	Resin fill	3 × 6 l
1_	Pure water quantity per resin filling	2.450 l
50	Working hours*	approx. 20 h
	Coverage in m ² **	approx. 2.000 m ²

The pure water quantities (TDS < 10 ppm) were determined by an independent test laboratory at a water flow rate of 180 l/h and under the following conditions for the input water:

TDS: 275 ppm Sum of cations and anions: 5,5 meq/l Hydrogen carbonate content of anions: 60%.

With *soft water* (<100 ppm) the pure water output can increase *more than 3 times*. With very hard water (>400 ppm), depending on the hydrogen carbonate content and ion concentration, the output can *decrease by more than half*.

* at a water flow rate of 120 l/h ** with an area output of 100 m²/h

HydroPower® Ultra FILTER

Part No.	Base	Height	Resin Packs	Cart	
DIUH1	30 × 31 cm	35 cm	1 (6 l)	-	
DIUH2	30 × 31 cm	77 cm	3 (18 l)	-	
DIUH3	30 × 31 cm	107 cm	3 (18 l)	\checkmark	

CLEANING WITH THE HYDRO POWER ULTRA



*In comparison with standard DI systems (e.g. UNGER HydroPower® DI filters). Source: test results from the independent testing laboratory Miontec GmbH, 2019.

A PURE WATER FILTERS **ION EXCHANGE RESIN**

RESIN CHANGE

The conductivity measurement is used to monitor water quality. If a conductivity measurement (integrated TDS-metre) indicates a value of > 10 ppm, the resin must be replaced.

Ultra RESIN PACKS FOR HYDRO POWER® ULTRA FILTER

Over 30 %* more pure water per resin filling



Every Ultra resin pack contains a pre-portioned amount of UNGER premium ion-exchange resin with a new formula, perfected for glass cleaning

The FloWater technology 2.0 in every Ultra resin pack ensures an efficient flow of water through the whole tank which optimises the resin saturation



JORO PON

RESIN CHANGE HYDRO POWER ULTRA



QuickChange RESIN BAGS FOR HYDRO POWER® DI FILTER

High comfort



PREMIUM GRADE VIRGIN MIXED BED RESIN

High capacity virgin mixed bed ion exchange resin for total de-ionisation and purification of water. Immediately produces 100% pure water for streak free glass cleaning.



PREMIUM GRADE VIRGIN MIXED BED RESIN			
Part No.	Product	Pack	
DIP25	Bucket 25 l	1	
DIB25	Bag 25 l	1	

The QuickChange Resin Bags offer fast and easy resin replacement on the spot with minimal mess - anytime and anywhere!





Consisting of a mixture of a gel, type I strong basic anion exchanger, and a gel, strong acid-cation resin, for the direct demineralization of water. 40 % cation, 60 % anion, pH range 0-14.

Suitable for use in:

- Refillable DI cartridges
- DI pressure vessels
- Filters for Pure Water Window Cleaning

*In comparison with standard DI systems (e.g. UNGER HydroPower® DI filters).Source: test results from the independent testing laboratory Miontec GmbH, 2019.

PURE WATER FILTERS HYDRO POWER[®] RO S





HydroPower® RO S Pure water for everyone!

With the entry-level model **HydroPower RO S**, cleaning can be carried out with pure water with minimum operating costs - especially in areas with hard water. Due to its compact and robust design, the new **HydroPower RO S** system is easy to transport.

The proven RO technology from **UNGER** is based on a 3-stage filtering process for 100 % pure water, whereby the required water pressure is generated with a high-quality stainless steel pump.

BOOST FUNCTION

- Pure water mode: pure water for streak-free cleaning of windows and facades
- Boost mode: tap water at 8-10 bar for pre-rinsing heavily soiled surfaces

APPLICATION OF THE HYDRO POWER RO S

SIMPLE AND SAFE OPERATION

- TDS measuring device shows the quality of the source water at the push of a button
- Manual flushing of the R0 membrane for an extended service life
- Automatic shutdown function to protect the pump if the water supply fails

POWERFUL QUALITY PUMP

- Centrifugal pump made of stainless steel for constant and high water flow
- Trouble-free operation even after a long time

QUICK MAINTENANCE.

- The pre-filter and DI filter are easy to replace and can be visually inspected during work
- Removable back cover for easy access to all electrical components

- COMPACT AND ROBUST DESIGN
- High-quality materials ensure a long service life
- Durable stainless steel quick connectors prevent dripping
- Heavy-duty stainless steel frame with maintenance-free solid rubber wheels
 CE certified

HydroPower® RO S

Part No. R020C Pack

PURE WATER FILTERS HYDRO POWER[®] RO M



- (2) COMPACT, ROBUST DESIGN
- **3** SIMPLE OPERATION & MAINTENANCE

APPLICATION OF THE HYDRO POWER RO M



REVERSE OSMOSIS FILTER (RO)

HydroPower® RO M The pure power of pure water

MODERN DESIGN AND HIGH PERFORMANCE

When it comes to developing new solutions for safe and efficient cleaning, **UNGER** always impresses with innovative product ideas. Discover the pure power of pure water with the **HydroPower® RO** M.

The compact and mobile filter system impresses with its outstanding performance features and ease of use – a real added value for professional window cleaners.

100% PURE WATER

The **HydroPower® RO** M demineralises water in a 3-stage process. The combination pre-filter removes fine particles and chlorine. The high-performance double membrane filters out up to 98 % of the minerals. In the third stage, the remaining minerals are bound by an ion exchange resin.

TDS METER

• shows the performance level > of the membrane and resin filter

DOUBLE MEMBRANE

 very high water production, approx. 350 l/hour*

COMBINATION PRE-FILTER FINE PARTICLES/CHLORINE

DOWNSTREAM RESIN FILTER

2 METAL WATER OUTLETS

• for 2 users at the same time

HIGH PERFORMANCE PUMP

constant and high water flow

HydroPower® RO M Part No.

RO35C

Pack	
1	

Ecertified

*At 18 °C water temperature, 4 bar water pressure and connected outlet hose with 1/2 " inner diameter without counterpressure at the water outlet.

A PURE WATER FILTERS HIFLO RO GLASS FACADES

REVERSE OSMOSIS FILTER (RO)

HiFlo RO Glass facades The high performance RO-filter for real professionals

- Perfect for cleaning **large glass facades** more water for cleaning and rinsing on the surface
- Downstream resin filter 100 % pure water production
- Suitable for two workers without loss of capacity, or for one worker with increased water output
- Ideal for tank filling
- Automatic pump control with dry run protection
- Incl. TDS meter for checking the water and resin quality

DOUBLE MEMBRANE

 extended water output, approx. 700 l/hour*

RESIN FILTER FOR POLISHING (4,5l)

 100 % pure water production

COMBI PRE-FILTER SEDIMENT & CHLORINE

 to protect both membranes

PURE WATER FLOW METRE



EXTRA HIGH POWER PUMP

• Displays the produced amount of pure water

• supports the high water flow

HiFlo RO GLASS FACADES Part No. R060C

Pack

CE

*At 18 °C water temperature, 4 bar water pressure and connected outlet hose with $1/2^{-}$ inner diameter without counterpressure at the water outlet.







REVERSE OSMOSIS FILTER (RO)

HiFlo RO Solar Reverse osmosis filter with high pure water production for large areas

- Perfect for cleaning of **solar panels** more water on the panel, better rinsing and cleaning
- Ideal for two workers with no loss of water capacity or one worker with increased performance
- Ideal for tank filling
- Carbon filter lasts app. 200.000 l at 2 ppm chlorine
- Built in TDS meter monitors water quality
- Automatic pump control with dry run protection for added safety
- High quality, corrosion-resistant stainless steel frame

DOUBLE MEMBRANE

• extended water output, approx. 750l/hour

LARGE CARBON

PRE-FILTERto save membranes from chlorine

LARGE SEDIMENT PRE-FILTER

 to protect both membranes

PURE WATER

FLOW METRE

• Displays the produced amount of pure water

EXTRA HIGH POWER PUMP

supports the high water flow

CE certified

HiFlo RO SOLAR Part No.

RO60S

Pack

*At 18 °C water temperature, 4 bar water pressure and connected outlet hose with $1/2^{\prime\prime}$ inner diameter without counterpressure at the water outlet.

PURE WATER FILTERS HYDRO POWER[®] RO XXL



THE HYDRO POWER® RO XXL SYSTEM

- Fully integrated trailer system with reverse osmosis filter and 650 l water tank
- Total flexibility for producing and transporting 100 % pure water for water fed pole cleaning!
- The ONLY real alternative to commercial van mounted systems



MOBILITY:



Suitable for vehicles with towing capacity of at least.500 kg. High capacity baffled tank integrated into lightweight chassis for easy towing. DOT road specification, single axle, integrated lights and indicators with brake assist. Supplied with European standard coupling, jockey wheel and manual parking brake. Conforms to EU regulations.

SAFETY:



FLEXIBILITY:



PROTECTION:



The multi-chamber tank design with low centre of gravity is designed to maximise stability during transportation. Also includes Auto Shut Off features, activated during water production mode when the tank becomes full and during use when the TDS of the outgoing water measures 5 ppm (can be changed to lower or higher number).

The flow rates for Wash and Rinse modes can be adjusted anytime at the digital control panel. This allows the operator(s) to choose more or less powerful flow rates to suit the cleaning job, saving and conserving water when less intense water flow is needed. You can also switch between Wash and Rinse modes at the touch of a button using the wireless remote control.

Optional protection cover for the hose reels. Robust truck tarpaulin that can be fixed on the new fixing point at the trailer frame.



• Maximum tank capacity: 650 l pure water

- 1 or 2 man operation via 2 stainless steel hose reels and 2 × 12 V (10 bar, 150 psi) pumps
- 2 high quality 100 m hoses for optimal reach
- Pure water output up to 125 l per hour per person
- Digital controller monitors water flow, pressure and battery power
- Control water flow manually or by wireless remote control (max. reach 100 m in open area)
- High capacity 12 Volt AGM battery offers 'all day' operation before requiring recharge
- Maintenance free 210 amp hour AGM battery with mains charger supplied
- 3 stage water purification production with dedicated 12 V (10 bar, 150 psi) pump.
 (Carbon Pre-filter, RO Membrane and HydroPower[®] DI

[Carbon Pre-filter, RU Membrane and **HydroPower® DI** Filter Polisher)



AUTOMATIC FLUSH FUNCTION

- Extended lifespan of the membrane: An automatic 5 minute rinse at the start of the water filtration process flushes out impurities and helps to keep the membrane clean which significantly extends its service life.
- Reduced DI resin consumption: Optimised membrane performance results in higher purity of the water passing through the DI filter and therefore extends resin lifetime.
- Simplified membrane care: The conservation liquid is rinsed out from the membrane automatically, saving time and effort it would take you to do this manually.

HydroPower® RO XXL TRAILER

Part No. TRI R1

18845 (Protection Cover)

APPLICATION OF THE HYDRO POWER RO XXL



PURE WATER FILTERS REVERSE OSMOSIS FILTER











	HydroPower® RO S (RO20C)	HydroPower® RO M (R035C)	HiFlo RO Glass facades (RO60C)	HiFlo RO Solar (R060S)	HydroPower® RO XXL (TRLR1)
Main features	Compact design	High performanceEasy operation	 High performance RO filter High pure water production for large glass surfaces 	 High performance RO filter High pure water production for PV & solar systems 	 Trailer system for production and transport of pure water 650 l pure water tank
Water output power* up to	180 l/h Boost mode: 1,000 l/h	350 l/h	700 l/h	750 l/h	2 × 125 l/h
Water outlets	1	2	1	1	2
Pump performance	0,97 kW	0,97 kW	1,1 kW	1,1 kW	3 × 0,1 kW
Protection class electric pump	IP54	IP54	IP54	IP54	IP54
Inlet pressure [bar]	1 – 6	1 – 6	1 – 6	1 – 6	1 – 6
Max. operating pressure [bar]	10	10	10	10	10
Pump dry run protection	~	~	~	~	~
Pure water flow meter	analogue	analogue	analogue	analogue	-
Pre-filter	Combination filter Chlorine/Sediments (ROCA2)	Combination filter Chlorine/Sediments (ROCAR)	Combination filter Chlorine/Sediments (17509)	1: Sediment filter (17521) 2: Chlorine filter (17919)	Chlorine filter (19080)
Membranes	1 (ROME2)	2 (ROMEM)	2 (17189)	2 (17189)	1 (19076)
Resin filter	Cartridge 0,55 l (RORE2)	Cartridge 4,5 l (RORES)	Cartridge large 4,5 l (17201)	-	Resin bag 6 l (DIB64/DIB84)
TDS Sensors	at the water outlet	after membranes + at the water outlet	after membranes + at the water outlet	at the water inlet + at the water outlet	at the water outlet
Dimensions in cm (Height × Width × Depth)	96 x 53 x 67	107 × 53 × 70	123 × 75 × 51	123 × 75 × 51	175 × 160 × 350
Empty weight in kg	45	75	83	83	740
Weight including filling	50	80	89	89	1.390
Cable length in m	1,5	1,5	1,5	1,5	1.6 (charger)
Battery power	-	-	-	-	12 V – 210 Ah

*At 18 °C water temperature, 4 bar water pressure and connected outlet hose with 1/2" inner diameter without counterpressure at the water outlet.

The amount of produced pure water per hour depends on several factors:

- 1. Water Temperature the warmer the water, as more pure water can be produced.
- 2. Hose diameter the bigger the hose diametre, the higher the waterflow is.
- 3. Hose lenght the longer the hose, the less the waterflow is.

ACCESSORIES



Handheld Total Disolved Solids (TDS) meter for measuring water hardness. – Measures water hardness instantly in ppm (parts per million). – Battery powered

Includes protective leather pouch

Part No.	Pack	
ROTDS	1	



Part No.

HCDEU


SOAP DISPENSER

For adding cleaning liquid to pure water flow, after passing through the filter unit. - Perfect to lifting stubborn dirt and greasy residue from heavily soiled surfaces - Simple connection to standard garden hose - Easy to refill and adjust concentration

Pack

PURE WATER SYSTEM B WATER FED POLE SYSTEM





								28
	CARBON COMPOSITE				CARBO	ON 24K	HIMod GARBON	Ultra HiMod CARBON
Part N°	CC32T	СС60Т	CC16T	CC85T	CF60T	CF86G + 2x CF33G	UC67G + 3x UC35G	UH67G + 4x UH35G
Elements	2	4	2	6	4	6 + 2 x 2	4 + 3 x 2	4 + 4 x 2
Pole length	3,20 m	6,00 m	1,60 m	8,60 m	6,00 m	14,70 m	16,30 m	19,50 m
Recommended	Ground floor	1st floor	Boom lift	2nd floor	1st floor	4th floor	5th floor	6th floor
Strength	100 GPa	100 GPa	100 GPa	100 GPa	210 GPa	210 GPa	360 GPa	760 GPa

PURE WATER SYSTEM

WATER FED POLE SYSTEM



A milestone for pure water cleaning: The **nLITE**[®] waterfed pole system

TOP PERFORMANCE THROUGH PROGRESS

Innovation, high quality, and customer-oriented development have always been **UNGER**'s guiding principles. This applies once again to the current generation of the **nLITE**® telescopic pole system:

- German engineering in a timelessly stylish design
- Intelligent solution for faster, more flexible system setup
- Pioneering technologies for more effective cleaning results
- High Quality Made in Germany

MORE STABLE, HIGHER, MORE PRECISE, WOW!

UNGER has developed its nLITE® telescopic poles to take your performance to new heights. RBON Za Maximising refined details and precision while minimising time and effort spent getting organised for your work.

- No twisting: trouble-free work and less wear and tear
- Optimal stability-to-weight ratio
- Greater pole rigidity
- More precise control of the cleaning movement

APPLICATION OF THE nLITE® WATER FED TELESCOPIC POLE SYSTEM







SMARTLOCK CLAMPS

- Easy and quick to close with just one finger
- Robust 2C material
- Clamp mechanism that protects the carbon material and ensures a long service life for the pole
- Extension stop prevents pulling out pole elements too far

INTEGRATED HOSE MANAGEMENT

- Internal routing of the highly flexible Duro-Flex hose in the telescopic pole for troublefree work on windows and facades
- Complete flexibility: external routing possible thanks to optional **nLITE**[®] clips

PRECISIONGRIP POLE FORM

- Innovative, unique pole shape, with contact surfaces optimally adapted to the shape of your hand.
- For ergonomic working and making best use of your strength
- More precise control of the cleaning movement and high force transmission
- Uninterrupted work due to non-twisting pole

HIGH-END CARBON MATERIALS

Ultra-lightweight. Extremely durable.

• CARBON COMPOSITE: High quality mix of carbon and glass fibres

• CARBON 24K: Premium carbon fibres in a unique weave of 24,000 fibres per bundle

PURE WATER SYSTEM B WATER FED POLE SYSTEM





Extendable carbon 24K poles:

The pole lengths offered by the **nLITE**[®] system have been created and optimised for your everyday work.

You can easily think of how many floors' you can clean. The telescopic main pole now measures 8,60 m, so it extends to the 2nd floor. Each extension pole offers exactly the additional length to take you up another storey (3,05 m).

For use in less high buildings or with a boom lift, we have the right solution for you with telescopic poles ranging from 1,60 m to 6,00 m in length.

UNGER guarantees the best possible premium quality in each of the material classes used and thus the perfect solution for every working height.




а

POWER BRUSH AND ANGLE ADAPTER

Innovative modular system that makes a difference because it offers almost limitless application options.

TELESCOPIC MAIN POLE 6-sections main telescopic pole.

6-sections main telescopic pole. Carbon 24K can be extended with up to 2 extension poles.





TELESCOPIC EXTENSION POLE 2-sections telescopic

CE33G

extension pole. With Carbon 24K, up to 2 extension poles

2 extension poles can be used.



PURE WATER SYSTEM B WATER FED POLE SYSTEM



nllviz.

CAMPON 244								
	e e re	CARBO	24K	-				
	(=) <mark>(</mark> =	ARBON 24	¢		M	IN		
		Car Car	BON 2	aK.			-	
nLITE® CARBON 24K TELESCOPIC POLE	Part No.	Info	Extended	Collapsed	Sections	Weight	Extentable	Pack
Telescopic pole for medium heights. – Recommended for working heights of up to 15 m (approx. 4 floors)	CF60T	Telescopic pole	6,00 m	1,70 m	4	1,16 kg		1
 CF60T: Telescopic pole, not extendable CF86G: Telescopic main pole 2x extendable with telescopic extension pole CF33G Resilience: 210 GPa* 	CF86G	Telescopic main pole	8,60 m	1,70 m	6	1,84 kg	2x CF33G	1
	CF33G	Telescopic extension pole	3,20 m	1,80 m	2	0,82 kg	1x CF33G	1
TOUR ALC IN CANNON DAK		۵ ({			
nLITE® CARBON 24K COMPLETE POLE		Part No.						Pack
Content: CF86G Telescopic main pole, 6 sections, 8,60 m CF33G Telescopic extension pole, 2 sections, 3,20 m		CF12H		Length 11,90 r				1
NLHCC Extension adapter NGS30 Angle adapter kit M, 42 cm NFK28 Power brush complete, 28 cm DLS25 DuroFlex hose 25m Ø 5/8mm CARBON composite								
NGS30 Angle adapter kit M, 42 cm NFK28 Power brush complete, 28 cm DLS25 DuroFlex hose 25m Ø 5/8mm			6 - 100 Cd					
NGS30 Angle adapter kit M, 42 cm NFK28 Power brush complete, 28 cm DLS25 DuroFlex hose 25m Ø 5/8mm	Part No.	INO INO INFO	Extended	Collapsed	Sections	Weight	Extendable	Pack
NGS30 Angle adapter kit M, 42 cm NFK28 Power brush complete, 28 cm DLS25 DuroFlex hose 25m Ø 5/8mm CARBON composite Inite® CARBON COMPOSITE TELESCOPIC POLE Telescopic pole for small to medium heights.	No.		Extended 1,60 m		Sections 2	Veight 0,46 kg	Extendable	Pack 1
NGS30 Angle adapter kit M, 42 cm NFK28 Power brush complete, 28 cm DLS25 DuroFlex hose 25m Ø 5/8mm CARBON composite Intervention of the second	№. CC16T		1,60 m	0,90 m				
NGS30 Angle adapter kit M, 42 cm NFK28 Power brush complete, 28 cm DLS25 DuroFlex hose 25m Ø 5/8mm CARBON composite	No. CC16T CC32T	Telescopic pole	1,60 m 3,20 m	0,90 m 1,70 m	2	0,46 kg		1
NGS30 Angle adapter kit M, 42 cm NFK28 Power brush complete, 28 cm DLS25 DuroFlex hose 25m Ø 5/8mm CARBON composite Intervention of the second	No. CC16T CC32T CC60T	Telescopic pole Telescopic pole	1,60 m 3,20 m 6,00 m	0,90 m 1,70 m 1,70 m	2	0,46 kg 0,70 kg		1
NGS30 Angle adapter kit M, 42 cm NFK28 Power brush complete, 28 cm DLS25 DuroFlex hose 25m Ø 5/8mm CARBON composite Intervention of the second	No. CC16T CC32T CC60T	Telescopic pole Telescopic pole Telescopic pole	1,60 m 3,20 m 6,00 m	0,90 m 1,70 m 1,70 m	2 2 4	0,46 kg 0,70 kg 1,41 kg		1 1 1
NGS30 Angle adapter kit M, 42 cm NFK28 Power brush complete, 28 cm DLS25 DuroFlex hose 25m Ø 5/8mm CARBON composite Intervention of the second	No. CC16T CC32T CC60T	Telescopic pole Telescopic pole Telescopic pole	1,60 m 3,20 m 6,00 m	0,90 m 1,70 m 1,70 m	2 2 4	0,46 kg 0,70 kg 1,41 kg		1 1 1

*GPa (Gigapascal) is a unit of measure of material strength.

PURE WATER SYSTEM B WATER FED POLE SYSTEM CONNECT

FULL FLEXIBILITY

Modular construction allows you to add on or remove Extension Poles to create telescopic poles in different lengths for cleaning at various heights.

35 MM DIAMETER

Diameter of the **nLite® Connect** pole you are holding will never exceed 35 mm, irrespective of the number of Extension Poles.





YELLOW VISUAL WARNING AREA

The top of the Extension Pole helps to avoid unintentional separation.



DURABLE PLASTIC ENDCAP

Prevents accidental damage to the end of the pole and features a side apeture for the hose exit when used inside the pole.



HIMOd CARBON

nLite® Connect HIMOD CARBON TELESCOPIC POLE	Part No.	Info	Extended	Collapsed	Sections	Weight	Pack
Telescopic Master Pole. The best in rigidity, superlight pole. Incl. Thread Adapter and Endcap. Ultimate material strength: 360 GPa*	UC67G	Telescopic main pole	6,63 m	1,87 m	4	1,5 kg	1
	UC35G	Telescopic extension pole	3,41m	1,91 m	2	0,7 kg	1

		-					10
nLite [®] Connect ALUMINIUM TELESCOPIC POLE	Part No.	Info	Extended	Collapsed	Sections	Weight	Pack
Telescopic Master Pole. Excellent rigidity thanks to modern construction technology.		Telescopic main pole	6,00 m	1,71 m	4	2,0 kg	1
Incl. Thread Adapter and Endcap. Ultimate material strength: 30 GPa*	AN45G	Telescopic main pole	4,50 m	1,34 m	4	1,6 kg	1
	AN30G	Telescopic extension pole	3,00 m	1,69 m	2	1,1 kg	1

B WATER FED POLE SYSTEM **ANGLE ADAPTER**



Modular angle adapter system: Clean hard-to-reach places

Another clever feature of the **nLITE**® pole system is the modular angle system, in which you can combine four individual elements in any number of variants in order to easily reach places that are difficult to access. Whether conservatories or overhanging façade elements, this system gives you the perfect angle for every application.

FAST LOCK

With a single click: simple, fast, and stable connection for every work situation:


- Change brushes in seconds
- Adjust brush angle in 45° stages
- No twisting when cleaning!

THE nLITE® WATER FED ANGLE ADAPTER SYSTEM



WATER FED POLE SYSTEM ANGLE ADAPTER KITS







ANGLE ADAPTER KITS FOR THE ROUND nLite[®] CONNECT POLES

Clean with the nLite[®] Connect HiMod, Ultra HiMod and Aluminium poles, always at the right angle. This means you also benefit from the versatile nLITE[®] brushes (Power, Angle, Soft and Hybrid)





nLite Connect® ANGLE ADAPTER

For nLite® Connect poles (HiMod, Ultra HiMod, Alu).						
Part No.	Info	Length	Pack			
NGC15	Angle adapter kit S	15 cm	1			
NGC30	Angle adapter kit M	42 cm	1			
NGC45	Angle adapter kit L	82 cm	1			
Not compatible	with pLITE® Carbon 24K and Carbo	n Composito polo				

WATER FED POLE SYSTEM BRUSHES

nLITE[®] Power Brushes for the daily challenges in cleaning with pure water

POWER BRISTLE TECHNOLOGY

- a Inner bristles with extremely high cleaning performance, comparable to natural hair bristles
- **b** Longer outer bristles for easy gliding: no more annoying jumping of the brush

APPLICATION

- Strong cleaning performance and perfect gliding performance. Recommended for maintenance cleaning
- Very good cleaning performance. Optimal flushing of the bristles with almost no residue. Recommended for maintenance and solar cleaning.

nLITE[®] Hybrid Brush made of boar bristles for extremely powerful

cleaning performance

The brush is highly recommended for maintenance cleaning and for the cleaning of PV/solar modules. Easier glide and less weight than full natural hair brushes

BOAR BRISTLES

- Outside boar bristles high cleaning power of the folded bristles, no streaks
- Inside bristles with Power Bristle Technology - very high scrubbing power, easy glide, low water absorption

SWIVEL LOCK

You've never cleaned faster and more precisely down to the last corner: the swivel function is a completely new way of cleaning with pure water up to the first floor (6 m). Open the SwivelLock and experience the advantages:



- The brush socket, which can be swivelled freely through 180°, enables the surface to be cleaned with an S movement with the brush touching down over the entire surface
- Enlarges the work area, ideal for cleaning from boom lifts or gondolas



nLITE® POWER BRUSH							
Part No.	Size		Bristles	Pack			
NFK28	28 cm	٠	flagged	1			
NFK41	41 cm	٠	flagged	1			
NUK28	28 cm		unflagged	1			
NUK41	41 cm	•	unflagged	1			



nLITE® HYBRID BRUSH

Part No.	Size	Bristles	Pack	
NUH28	28 cm	Natural bristles+Power	1	
NUH41	41 cm	Natural bristles+Power	1	

RINSE BAR

This special flushing nozzle bar is attached above the brush and delivers the right amount of pure water exactly where it is needed for powerful rinsing of the cleaned surface more effective than ever before!



nLITE[®] Angle Brushes for large surfaces, frames and corners

SPECIAL BRISTLE CUT

Allows even easier cleaning of corners with 90° angles. The short, stiff bristles inside the brush provide great scrubbing power.

HIGH BRISTLE DENSITY

Guarantees excellent cleaning with little bending as well as long durability. The brush can also be used with hot water.



THREE WAYS OF WATER SUPPLY

High flexibility due to three ways of water supply and therefore extremely easy removal of dirt.

Powerful cleaning by means of a water jet from the centrally integrated nozzle block.

The RinseBar can be used in two different positions: This means that window sills and roller shutter boxes can also be cleaned optimally.



nLITE[®] Soft Brush for a gentle surface cleaning

nLITE® SOFT BRUSH

Reduces risk of damage to sensitive surfaces.

– Thin bristles with high flexibility

- Short bristles in high density for stable fibre layout

Part No.	Size	Bristles	Pack
NFS28	28 cm	synthetic, 2,5cm	1
NFS41	41 cm	synthetic, 2,5cm	1

All nLITE® brushes are supplied including hoses with quick connector.

ATTENTION: Some surfaces are easily scratched. Always test brushes prior to use.





nLITE® ANGLE BRUSH

Part No.	Size		Version	Pack
NFR28	28 cm	•	flagged	1
NFR41	41 cm	٠	flagged	1
NUR28	28 cm	•	unflagged	1
NUR41	41 cm	•	unflagged	1

APPLICATION



Strong cleaning performance, large cleaning area. Recommended for maintenance cleaning.

Very good cleaning performance, large cleaning area. Recommended for maintenance and solar cleaning.



WATER FED POLE SYSTEM Image: System Image: System Image: System Image: System Image: System Image: System



360°

The **nLITE**[®] **PowerPad** – for sensationally fast, effective and easy cleaning with pure water.

A new era is dawning for pure water cleaning. Once again, market leaders **UNGER** have come up with a groundbreaking innovation – the **nLITE® PowerPad**, the ultimate alternative to brushes when **cleaning large ground floor glass surfaces.**

This outstanding cleaning tool is in

This outstanding cleaning tool is intuitive to use thanks to its intelligent and revolutionary design. It makes cleaning with pure water noticeably faster, easier and more effective.

The perfect tool for all experienced pure water professionals as well as those who are discovering **UNGER**'s pure water technology for the first time!

PERFECT RESULTS IN AN INSTANT!

The **nLITE® PowerPad** is easy and intuitive to use. The sequence of movements is almost identical to that of classic window cleaning, meaning users achieve perfect cleaning results instantly without training time!

More advantages: The new **PowerPad** is fully compatible with all **nLITE**[®] and OptiLoc telescopic poles from **UNGER**, offering great on-site flexibility!



RINSE BAR

Special rinse bar for powerful, uniform rinsing of the pad and glass over the entire width.

INNOVATIVE 360° SWIVEL

- 360° movement up and down as well as left and right
- Permanent contact with the glass surface –
- even when working laterally
 Easy and intuitive manual tool –
- Lasy and intuitive manual tool with S-shaped movements as with classic glass cleaning
- Can be locked in 7 working positions for every type of use

THE INNOVATIVE MICROFIBRE CLEANING PAD

- Faster dirt removal, as the microfibre cleaning pad has a larger contact area with the surface of the glass than a conventional brush with bristles
- Self-cleaning effect thanks to permanent pure water rinsing via the integrated Rinse Bar
- Highly effective microfibre technology for streak-free cleaning
- Glides easily over glass surfaces



nLITE® POWER PAD

Part No.	Product	Size	Pack
PWH35	PowerPad complete	35 cm	1
PWH45	PowerPad complete	45 cm	1
PWP35	Microfibre Cleaning Pad	35 cm	5
PWP45	Microfibre Cleaning Pad	45 cm	5

STARTER KIT POWER PAD + HydroPower® Ultra S **p. 28**

Pad: 90% polyester, 10% polyamide



POLES

WATER FED POLE SYSTEM ATTACHMENT ADAPTERS



Perfection and cleanliness down to the last detail

In combination with the **nLITE**[®] telescopic pole system, this tool is an important addition to the equipment of every glass and building cleaner. Bird droppings, stubborn insect residues and other heavy deposits can often prove difficult to remove. The nLITE[®] holder has been developed for use with the scrubbing pad to remove even stubborn dirt easily and effectively with pure water. The recommended working height is approx. 6 metres, i.e. up to the 1st floor.

nLITE® HOLDER FOR SCRUBBING PADS



For the rapid removal of stubborn dirt from glass surfaces. CAUTION. Only fits nLITE Carbon 24K and

Carbon Composite poles.For cleaning glass surfaces with nLITE poles

• Highly versatile thanks to adjustable angle and differently shaped contact surfaces

Item no.	Dimensions	Product	Pack	
NLSPH	Ho	der with 5 scrubbing pads	1	
0PS20	25 x 10 cm	Scrubbing pad	10	

ATTENTION: Some surfaces are easily scratched. Always test scrubing pad prior to use.



nLite® CONE ADAPTER

Plastic adapter for attaching tools on $\ensuremath{\mathsf{nLITE}}\xspace^\circ$ Carbon 24K and Carbon Composite telescopic poles.



nLite[®] EURO THREAD ADAPTER

Pack

1

Plastic adapter for attaching brushes on \mbox{nLITE}° Carbon 24K and Carbon Composite telescopic poles.

Part No. NLTHR Pack 1

BRUSH OVERVIEW for nLITE® telescopic pole system - also compatible with nLite® Connect telescopic pole system

			WEIGHT	WIDTH	BRISTLES		FEATURES			APPLICATION				
			Brush complete		Material	Length (outside/ inside)	Centre nozzle block	Rinse Bar	Swivel Lock	Initial cleaning	Mainte- nance cleaning	Lift/ Gondola	Sensitive surfaces	Solar
~~~	nLITE®	PWH35	75 g	35 cm	Microfibre Pad			~	~					
Sealer State	POWER PAD	PWH45	85 g	45 cm	MICrofibre Pad			~	v		•	~		
	nLITE [®] POWER	NFK28	346 g	28 cm	Power-Technology	55 mm/ 40 mm	~	~				. ,		
	COMPLETE	NFK41	488 g	41 cm	flagged		~		$\checkmark$		~	$\checkmark$		
	nLITE® POWER	NFF28	290 g	28 cm	Power-Technology	55 mm/	~				~			
-	nLite CONNECT KIT	NFF41	399 g	41 cm	flagged	40 mm	mm 👻			~				
1	<b>nLITE</b> ® POWER COMPLETE	NUK28	356 g	28 cm	– Power-Technology unflagged	55 mm/ 40 mm	~	~ ~				~		~
1 Contraction		NUK41	491 g	41 cm					v		•			
	nLITE® ANGLE	NFR28	500 g	28 cm	Nylon flagged	15-55mm	~	<b>1</b> 0 D		,	,			
	FLAGGED	NFR41	700 g	41 cm			~ `	✓ 2 Pos.	~					
de	nLITE® ANGLE	NUR28	500 g	28 cm	Nylon	15-55mm				•				
Contraction of the	UNFLAGGED	NUR41	700 g	41 cm	unflagged		$\checkmark$	✓ ✓ 2 Pos.			$\checkmark$			~
		NFS28	320 g	28 cm	- thin synthetic bristles	05		~ ~ ~						
	nLITE® SOFT	NFS41	440 g	41 cm		25 mm	~		$\checkmark$			~	$\checkmark$	
-		NUH28	333 g	28 cm		45 mm/	~		~	~				
CONTENT OF	nLITE® HYBRID	NUH41	460 g	41 cm	Boarhair + Power	30 mm	~	~	v			~		v

# WATER FED POLE SYSTEM **nLITE[®] ACCESSORIES**

70	11	1	5	ď	=	9
	10000	2	<u></u>	-		

**nLITE®** WATER FLOW REGULATOR

**nLITE®** DURO FLEX HOSE

)

DLH25 = high performance hose for RO-filters					
Part No.	Size	Diam.	Pack		
DLS25	25m	Ø 5/8mm	1		
DLH25	25m	Ø 7/10mm	1		



Part No.	Hose	Diam.	Pack
NLWVI	DLS25	Ø 5/8mm	1
22812	DLH25	Ø 7/10mm	1



nLITE® QUICK CONNECTOR 10>8 for hose connection DLH25 to DLS25					
Part No.	Pack				
22810	1 kit (5)				



nLITE® EXTENSION ADAPTER for CF86G						
Part No.	Pack					
NLHCC	1					

nLITE® CLIPS F	OR OUTER HOSE ROUTING
Part No.	Pack
NLHKP	1 kit (6)



	nLite® Co	nnost	LUCE			
			mance hose fo	r RO-filters		
	Part No.	Size	Diam.	Pack		
	NL25G	25m	Ø 5/8mm	1		
	NLH25	25m	Ø 8/10mm	1		
<u></u>	HiFlo Control WATER FLOW REGULATOR Fits any round poles Ø 20-70mm Fits yellow hoses NL25G & NLH25					
	Part No.			Pack		
	TMOOV			1		
	nLite [®] Connect HOSE PLUG 6MM for hose NL25G					
	Part No.			Pack		
	23232			1 kit (5)		
			QUICK CON NL25G to DLS2		>8	
(and a star	Part No.			Pack		
	23009			1 kit (5)		
			QUICK CON NLH25 to DLS2		>8	
	Part No.			Pack		
	22809			1 kit (5)		



### **nLITE® TRANSPORTATION BAG**

# Solid nylon carrying bag* for nLITE® Carbon 24K and Carbon Composite

- Comfortable and easy to transport with a handle or adjustable shoulder strap
- Offers space for up to 5 poles, 2 brushes, 1 hose, 1 angle adapter, 1 extension adapter + two easy-to-reach outer pockets for accessories

Part No.	Pack
NLBAG	1





### nLite[®] Connect TRANSPORTATION BAG

### For storage, protection and transportation of a complete nLite® Connect Kit.


- Made from solid nylon material
- Can be carried in hand or over shoulder
- Fits 5 or more poles, 2 brushes, 1 gooseneck, 1 hose
- Pocket for spare jets and small pieces

Part No.	
NLBA1	


Pack	
1	


# B WATER FED POLE SYSTEM **nLITE[®] SYSTEM**





# PURE WATER FILTERS HYDRO POWER[®] KITS





Part No.	RONK1	RONK2	RONK3
	R020C	R035C	R035C
HydroPower [®] RO Filter	(R0 S)	(R0 M)	(R0 M)
	CF86G	UC67G	UH67G
nLITE® Telescopic Main Pole	Carbon 24K 8,60m	nLite Connect HiMod 6,60m	nLite Connect Ultra HiMod 6,60m
	CF33G	2x UC35G	4x UH35G
nLITE® Extension Pole	Carbon 24K 3,20m	nLite Connect HiMod 3,40m	nLite Connect Ultra HiMod 3,40m
A	NLHCC		
Accessories	Extensionadapter		
	NGS30	NGC30	NGC30
nLITE® Angle adapter	(M) 42 cm	(M) 42 cm	(M) 42 cm
nLITE® Brush	NFK41	NFK41	NUR41
nLIIE [®] Brusn	Power, 41 cm, flagged	Power 41 cm, flagged	Angle brush 41 cm, unflagged
	DLH25	DLH25	DLH25
nLITE® Hose	Duro Flex High Performance 25 m	Duro Flex High Performance 25 m	Duro Flex High Performance 25 m
Pack	1	1	1

Length 11,90m/39ft Length 13,40m/44ft Length 20m/72ft

WHICH PURE WATER FILTER IS EXACTLY RIGHT FOR YOUR PURPOSES?





# Professional tools for classic glass cleaning

All **UNGER** products are expertly designed to meet the high demands of the Professional Window Cleaning Industry.

Innovation and ergonomics are always at the forefront of our research and product development to enable professionals to work faster, more efficiently and above all safely.

Today our range includes wide selection of traditional handheld tools and accessories, built to last and withstand continuous use, day after day.

Most of our tools can be fitted to UNGER telescopic pole, allowing you to clean at heights of up to 10 m safely from the ground.


Look out for the **ErgoTec**[®] Locking Cone symbol, identifying products that can be locked securely on the pole with a quick-release button preventing falling off or spinning.



SCRAPERS







p.46

TELESCOPIC POLES





WASHERS

p. 51 ACCESSORIES

p. 38





# UNCOMPROMISINGLY **GREEN!**

# THE FIRST COMPLETE RANGE **OF GUARANTEED CERTIFIED,** SUSTAINABLE CLEANING TOOLS

(confirmed by independent institutes)



# TRADITIONAL WINDOW CLEANING **GREEN LABEL**

# Follow our lead and make your mark: For a more sustainable future.

Protecting our planet, using its resources responsibly and preserving it for the next generation: Acting sustainably is an essential task for mankind and the cornerstone of the **UNGER** philosophy.

- Only the best is good enough: We don't compromise on performance and quality when developing eco-friendly products.
- We are committed to choosing the right raw material suppliers and relevant certifications.
- We incorporate customer requests into our sustainability concept via numerous customer surveys conducted beforehand.

This has resulted in the first fully certified, sustainable range of glass cleaning tools.

This highlights our commitment and that of our customers and shows that we are a pioneer in the industry when it comes to sustainability.

- The GREEN LABEL range by UNGER encourages more environmentally friendly cleaning services.
- With GREEN LABEL, we help you and your customers achieve your sustainability goals.
- GREEN LABEL is characterised by the outstanding quality typical of UNGER a long useful life is a key aspect of sustainability.
- Recognisable at first glance: the striking, green-blue design shows that you are taking on responsibility for yourself and others.



# TRADITIONAL WINDOW CLEANING GREEN LABEL PRODUCTS & CERTIFICATES



Green Lab	el WINDOW	SQUEEGEE		***
		Complete so certified rub	ueegee with ber.	FSC™-
cradie to cradie	SC micon -cum	Handle & S-0     Non-hazardo		
		<ul> <li>Ergonomic has Complete wit</li> </ul>	andle made of tv h S-channel.	vo components.
			comfortable S-sp nannel change	oring for quick
		• Usual high U	NGER quality	
	-	<ul> <li>Made in Gern</li> </ul>	nany	
Part No.	Size	Rubber	Pack	
GTS35	35 cm	Medium	10	
GTS45	45 cm	Medium	10	
GTSH0*		Handle	10	
*handle only: C2C Ce	ertified Material Hea	lth Certificate™ Silver		
Green Lab	el S-CHAN	NFI		***

	3	Complete wi rubber.	th FSC™-cer	tified
F	SC shoop	• S-Channel: N	on-hazardous r	naterials
Rubber: Degree of hardness: Medium, proportionally with FSC™-certified natural rubber				
Professional quality with sharp edges for streak-free removal				rp edges for
		<ul> <li>Made in Germ</li> </ul>	nany	
Part No.	Size	Rubber	Pack	
GTC35	35 cm	Medium	10	
GTC45	45 cm	Medium	10	

### Green Label SQUEEGEE RUBBER



# FSC™-certified rubber, Medium degree of hardness

Proportionally with FSC[™]-certified natural rubber

***

Professional quality with sharp edges for streak-free removal
Made in Germany

Part No.	Size	Rubber	Pack	
GTR25	25 cm	Medium	10	
GTR35	35 cm	Medium	10	
GTR45	45 cm	Medium	10	
GTR55	55 cm	Medium	10	
GTR99	106 cm	Medium	10	

### Green Label WASHER T-BAR



- Durable plastic T-Bar with ergonomic bi-component handle.
- Avoidance of toxic chemical products
- Water wells for increased water retention
- Fits securely to pole with Locking Cone
- Made in Germany

Part No.	Size	Pack
GTT35	35 cm	10
GTT45	45 cm	10



### C2C Certified Material Health Certificate™ Silver

In order to obtain the Material Health Certificate, all chemicals used in the value chain must be analysed and evaluated with regard to health and environmental hazards. Dangerous chemicals are avoided and replaced with safer substances – for sustainable production.



# FSC-cert

FSC-certified natural rubber is used in our squeegee rubbers – for more sustainable forest management. FSC-certified forests and plantations are managed according to stricter environmental and social principles. FSCcertified materials can be traced throughout the supply chain at all times.



# EU Ecolabel

The European Commission awards the EU Ecolabel to products that have a lower environmental impact than comparable products and are therefore healthier and more environmentally friendly. The criteria differ depending on the product group. In the case of textile and cleaning products, evaluation is based on the proportion of recycled materials, the limitation of toxic chemicals, the biodegradability as well as the cleaning performance and durability.

# TRADITIONAL WINDOW CLEANING **SQUEEGEES**





Choose between 40° and 30° head angle versions



The center position can be locked by pressing the lock button



Locking Mechanism to secure the swivel head in center position



New and improved end clip mechanism







- Ergonomic swivel handle with 180° swivel
- TriLoc mechanism for secure hold of the channel

- Fits securely to pole with Locking Cone

Part No.	Angle	Pack
EN000	40°	5
E3000	30°	5

# ErgoTec[®] NINJA WINDOW SQUEEGEE

### Complete with NINJA Channel and professional soft rubber.

- Ergonomic handle with 180° swivel
- Handle with TriLoc mechanism for secure hold of the channel - Extruded Aircraft Aluminum T6 Channel: will not bend or break
- Fits securely to pole with Locking Cone

Part No.	Angle	Size	Rubber	Pack	
EN300	40°	30 cm	Soft	5	
EN350	40°	35 cm	Soft	5	
EN450	40°	45 cm	Soft	5	
E3300	30°	30 cm	Soft	5	
E3350	30°	35 cm	Soft	5	
E3450	30°	45 cm	Soft	5	

1



# ErgoTec® NINJA SQUEEGEE CHANNEL

## Complete with soft rubber and SmartClip end clips.

- Extruded Aircraft Aluminum T6 Channel: will not bend or break
   Perfect pressure distribution
   Fast and easy rubber change
- Part No. Size Rubber Pack AC200 20 cm Soft 5 AC250 25 cm 5 Soft AC300 30 cm Soft 5 AC350 35 cm Soft 5 Soft AC450 45 cm 5 55 cm AC550 5 Soft AC650 65 cm 5 Soft AC750 75 cm 5 Soft AC920 92 cm Soft 5 AC105 105 cm Soft 5

# TRADITIONAL WINDOW CLEANING **SQUEEGEES**



# Green Label WINDOW SQUEEGEE

# Complete squeegee with FSC[™]-certified rubber.

- Handle & S-Channel: Non-hazardous materials Ergonomic handle made of two components. Complete with S-channel.
- Handle with comfortable S-spring for quick and simple channel change
- Usual high UNGER quality

– Made in German	y			
Part No.	Size	Rubber	Pack	
GTS35	35 cm	Medium	10	
GTS45	45 cm	Medium	10	
GTSH0*		Handle	10	



**Quality Tools for Smart Cleaning** 

# ErgoTec® CARBON HANDLE

- The lightest professional squeegee handle.
- 18 % lighter than bicomponent ErgoTec® squeegee handle
- Made of premium carbon fibre: T700, 7 layers; S-Spring: High value stainless steel 1.4310
- Anti-slip coating for reliable grip
  Compatible with S-Channel and S-Channel Plus
- Fits securely to pole with Locking Cone

Pa	rt	No.
U	СН	00

Pack 1

211	

*

### VisaVersa[®] Pro - 2 IN 1 WINDOW SQUEEGEE

Squeegee and washer in one tool. Complete with S-Channel, Microfibre Pad and soft rubber. - Premium microfibre for ultimate cleaning power and high water absorption

- Locking clip for removing or turning the squeegee
- Won't twist and fall off telescopic poles thanks to ErgoTec® safety cone
- Compatible with S-Channel and S-Channel Plus

Part No.	Size	Rubber	Product	Pack	
VV250	25 cm	Soft	VisaVersa Pro complete	8	
VV350	35 cm	Soft	VisaVersa Pro complete	8	
VV450	45 cm	Soft	VisaVersa Pro complete	8	
VEP25	25 cm		VisaVersa Pro Pad	10	
VEP35	35 cm		VisaVersa Pro Pad	10	
VEP45	45 cm		VisaVersa Pro Pad	10	
Pad: 100% pc	olyester				

### PERFECTLY CLEAN WINDOWS IN AN INSTANT

Wash - turn over - squeegee -

QUICK & SAFE:



**VISA VERSA PRO 2 IN 1 WINDOW SQUEEGEE** 



Part No.	Size	Rubber	Pack	
ES35G	35 cm	Green 🔵	10	
ES45G	45 cm	Green 🔵	10	
ES250	25 cm	Soft	10	
ES350	35 cm	Soft	10	
ES450	45 cm	Soft	10	
ES550	55 cm	Soft	10	
ES25H	25 cm	Hard	10	
ES35H	35 cm	Hard	10	
ES45H	45 cm	Hard	10	
ES55H	55 cm	Hard	10	
ETG00		Handle	10	
ETX00	+2,5 cm	Handle XL	10	



### Swivel squeegee head, freely adjustable and lockable.

- Problem solver for hard to-reach places.
- Advanced ergonomic bi-component handle for comfortable use - Available in two head angles: 0° and 30°
- Compatible with S-Channel and S-Channel Plus
- Fits securely to pole with Locking Cone

	5		
Part No.	Version	Pack	
LS000	0°	5	
LA000	30°	5	

***

# **TRADITIONAL WINDOW CLEANING SQUEEGEES**



# **S** SQUEEGEE

### Stainless steel squeegee with rubber coated handle.

- Solid handle design
  Quick and simple channel change with S-Spring
- Fits on telescopic pole
   Compatible with S-Channel and S-Channel Plus

- compatible wi	tii 5-channet anu 3	-Channet Flus		
Part No.	Size	Rubber	Pack	
SE250	25 cm	Soft	10	
SE350	35 cm	Soft	10	
SE450	45 cm	Soft	10	
SE25H	25 cm	Hard	10	
SE35H	35 cm	Hard	10	
SE45H	45 cm	Hard	10	
SG000		Handle	10	



### **UniTec SQUEEGEE LIGHT**

### Extra light squeegee for glass or flat surfaces in household area.

- Ideal for smooth surfaces
- Fits on telescopic pole
  Lightweight, fixed aluminium channel

Part No.	Size	Info	Pack
US300	30 cm	Complete	10



# **GC** BRASS SQUEEGEE HANDLE

# Classic style brass handle.

- Sturdy and durable Firm channel fit with screws
- Fits on telescopic pole

Part No.

GS000		



/i) **

*i* *

# Pro SQUEEGEE

### Stainless steel squeegee with rubber coated handle.

- Solid handle design
  Quick release clip for fast and easy channel change
- Fits on telescopic pole
  Compatible with S-Channel and S-Channel Plus

Part No.	Size	Rubber	Pack	
PR250	25 cm	Soft	10	
PR350	35 cm	Soft	10	
PR450	45 cm	Soft	10	
PR000		Handle	10	



# UniTec SQUEEGEE

Convenient metal squeegee, good value.

– Sturdy – Firm channel fit with screws

		I CI	amin	stift	with	SCI
-	Fits	on	teles	copio	: pole	Э

Part No.	Size	Pack
OW350	35 cm	10
OW450	45 cm	10

Pack	
10	

*

/i] *

# **TRADITIONAL WINDOW CLEANING CHANNELS**



Stainless steel channel with variable positioning options. Complete with soft rubber. - Curved ends support the rubber at the edges for improved cleaning close to frame

- Strong and durable
- Easy change of rubber
   Fits ErgoTec[®]-, S- and Pro-squeegees

Part No.	Size	Rubber	Pack	
UC300	30 cm	Soft	10	
UC350	35 cm	Soft	10	
UC450	45 cm	Soft	10	



# Complete with FSC[™]-certified rubber.

 S-Channel: Non-hazardous materials
 Rubber: Degree of hardness: Medium, proportionally with FSC™-certified natural rubber

Professional quality with sharp edges for streak-free removal
 Made in Germany

- Made III Geriii	any		
Part No.	Size	Rubber	Pack
GTC35	35 cm	Medium	10
GTC45	45 cm	Medium	10



# S-CHANNEL

Stainless steel channel with variable positioning options. Complete with soft and hard rubber. NE25G-NE55G complete with green rubber for outstanding sliding ability – Strong and durable – Easy change of rubber

- Fits ErgoTec®-, S- and Pro-squeegees

Part No.	Size	Rubber	Pack	
NE25G	25 cm	Green 🔵	10	
NE35G	35 cm	Green 🔵	10	
NE45G	45 cm	Green 🔵	10	
NE55G	55 cm	Green 🔵	10	
NE250	25 cm	Soft	10	
NE300	30 cm	Soft	10	
NE350	35 cm	Soft	10	
NE450	45 cm	Soft	10	
NE550	55 cm	Soft	10	
NE15H	15 cm	Hard	10	
NE25H	25 cm	Hard	10	
NE35H	35 cm	Hard	10	
NE45H	45 cm	Hard	10	
NE55H	55 cm	Hard	10	

# **GC** BRASS CHANNEL

### Brass channels, complete with soft rubber and plastic clips.

- Strong and durable - Fits on GC brass handle and on Pro handle

Part No.	Size	Pack	
GC350	35 cm	10	
GC450	45 cm	10	
PLASTIC C	CLIPS		
For improved	hold of rubber in the channel	. Solid plastic.	
Part No.	Info	Pack	
PCLIP	Plastic Clips 40/Box	10	



# **TRADITIONAL WINDOW CLEANING RUBBER**



### **GREEN SQUEEGEE RUBBER**

Squeegee rubber with outstanding sliding ability. – Streak-free results – Reliable, long-lasting

- Professional quality - Made in Europe

Part No.	Size	Pack	
RR25G	25 cm	10	
RR35G	35 cm	10	
RR45G	45 cm	10	
RR55G	55 cm	10	





# **Pro SQUEEGEE RUBBER**

10 rubbers per bag. Professional quality.

Highly durable and efficient
Sharp edges enable thorough wiping for superior finish

Part No. Soft	Part No. Hard	Size	Pack	
RR250	RR25H	25 cm	10	
RR350	RR35H	35 cm	10	
RR450	RR45H	45 cm	10	
RR550	RR55H	55 cm	10	
RR650	RR65H	65 cm	10	
RR750	RR75H	75 cm	10	
RR920	RR92H	92 cm	10	
RR990	RR99H	106 cm	10	



# SOFT

Shore hardness: 52 ± 3

- Ideal for colder temperatures
- Adjusts better to uneven surfaces

# MEDIUM

- Shore hardness: 56 ± 3
- Ideal all year round
- Suitable for all surfaces



- Shore hardness:  $60 \pm 3$ 

HARD

- Ideal for warmer temperatures
- Ideal for large, smooth surfaces



# Green Label SQUEEGEE RUBBER

FSCTM-certified rubber, Medium degree of hardness – Proportionally with FSCTM-certified natural rubber - Professional quality with sharp edges for streak-free removal

– Made in Germany			
Part No.	Size	Pack	
GTR25	25 cm	10	
GTR35	35 cm	10	
GTR45	45 cm	10	
GTR55	55 cm	10	
GTR99	106 cm	10	





MEDIUM

# Pro SQUEEGEE RUBBER

25 rubbers per storage box. Professional quality.

Highly durable and efficient
Sharp edges enable thorough wiping for superior finish - Sturdy plastic storage box keeps rubbers clean and straight

Stardy prastic storage box receps rabbers etcan and straight				
Part No.	Size	Rubber	Pack	
RP350	35 cm	Soft	25	
RP450	45 cm	Soft	25	
RP35H	35 cm	Hard	25	
RP45H	45 cm	Hard	25	

# **HIGHWAY RUBBER** oox. Extruded - Household quality.

Cut to fit	15 m rubbe	r roll in cai	dboard b

Part No.	Size	Pack
HIXXL	15 m	1



# TRADITIONAL WINDOW CLEANING **SQUEEGEES**



#### **PRODUCT OVERVIEW SQUEEGEES**

Use the guide below to compare various models of **UNGER** Squeegees and identify the right one for your cleaning tasks and budget.

1			BUDGET		HANDLE		SWIVEL		CHANNEL				RUBBER*		
	ALL			Material	Head Angle	Fits to Locking Cone	Tension adjust- ment	Fitting	Sizes	Material	Com- patibility	Туре	Quality	Fitting	-
>	ErgoTec® NINJA	The ultimate high per- formance squeegee	***	2 compo- nents	30°/ 40°		~	TriLoc clip	20 – 105 cm	T6 Alu- minium	Ninja Alu Channel	Molded	Soft & Hard	TriLoc Clipl	p
	ErgoTec [®] Carbon	Superlight, hand-crafted carbon fibre handle.	***	Carbon fibre	30°		-	S-Spring	only handle	-	S-Channel S-Channel Plus	-	-	S-Spring	Ę
$\checkmark$	<b>GreenLabel</b> ErgoTec®	Stainless steel squeegee with sustainably certified Rub- ber, Handle and Channel	***	2 compo- nents	30°		-	S-Spring	35 – 45 cm	Stainless Steel	S-Channel S-Channel Plus	Molded	Medium	S-Spring comfort	3
	ErgoTec®	Stainless steel squeegee with bi-component handle	***	2 compo- nents	30°		-	0° screwed plate 30° S-Spring	15 – 55 cm	Stainless Steel	S-Channel S-Channel Plus	Only handle	Soft & Hard	S-Spring comfort	р
X	<b>ErgoTec</b> ® SwivelLoc	Swivel squee- gee head, – a problem solver for hard-to- reach areas.	***	2 compo- nents	0°/ 30°		~	S-Spring	only handle 0° / 30°	Stainless Steel	S-Channel S-Channel Plus	Molded	-	0°: screw off plate 30° press S-Spring	p
K	Visa- Versa® Pro	Squeegee and washer in one tool	***	2 compo- nents	30°		-	S-Spring	25 – 45 cm	Stainless Steel	S-Channel S-Channel Plus	Molded	Soft	S-Spring comfort	þ
~	S	Standard Squeegee for daily work	**	Metal + Rubber sleeve	30°		-	S-Spring	15 – 55 cm	Stainless Steel	S-Channel S-Channel Plus	Molded	Soft & Hard	S-Spring	þ
$\checkmark$	Pro	Standard Squeegee for daily work	**	Metal + Rubber sleeve	30°		-	Pro Clip	15 – 55 cm		S-Channel S-Channel Plus		Soft & Hard	Pro Clip	ţ
~	GC	Classic style brass squeegee	*	Brass	30°		-	Screwed Plate	35 – 45 cm	Brass	Brass Channel	Extruded	Soft	Screw off plate	F
	UniTec	Basic metal squeegee	*	Metal	30°	J.	-	Rotary button	35 – 45 cm	Stainless Steel	S-Channel S-Channel Plus	Extruded	Standard	Rotary button	þ
~	UniTec	Household Squeegee	*	Plastic	30°		-	Channel hold by handle	30 cm	Alu- minium	Alu Channel	Extruded	Household quality	Fixed to channel	p
1. BUDGE 2. HANDI	.E: L FUNCTION: NEL:	How long Weight, Fe Do you ne How large	eature, Erg ed to acce is the sur	gonomics ess hard t rface to b	arge is the 5 10 reach are 1e cleaned? 7? Professio	eas? Do y ? How im	ou work v portant is	with teles a quick o	copic pole	es? nange?	* So and	available to of This p ErgoT	d Hard Rubber an rder separately. roduct securel ec [®] Locking cc roduct fits on I ut safety lockir	ly locks on one. <b>UNGER</b> Pole	es

### TRADITIONAL WINDOW CLEANING **WASHERS**





#### ErgoTec® NINJA WASHER

#### Complete with NINJA Washer T-Bar and highly absorbent sleeve with Microfibre.

- Ultimate cleaning performance. Sleeve is machine washable up to 500 times

- Sleeve with rows of scrubbing fibres and 2 abrasive side pads - Strong yet lightweight hard anodised aluminium T-Bar with 180° swivel function
- Fits securely to pole with Locking Cone

Part No.	Size	Material	Pack	
NA350	35 cm	Blended fabric*	5	
NA450	45 cm	Blended fabric*	5	

*Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide



#### StripWasher® MicroStrip PAC

#### Complete washer with highly absorbent microfibre sleeve.

 Superior cleaning power - Sleeve with side scrub pad is machine washable up to 500 times

- Lightweight plastic T-Bar with water wells fits securely to pole

Part No.	Size	Material	Pack
NC350	35 cm	Microfibre*	10
NC450	45 cm	Microfibre*	10

*Support material: 100 % polyamide; Fibres: 100 % polyethylene



#### StripWasher® Pad STRIP PAC

#### Complete washer with blended fabric sleeve and scrub pad strip.

- Removes tough dirt

- Sleeve with scrub pad is machine washable up to 500 times - Lightweight plastic T-Bar with water wells fits securely to pole

Part No.	Size	Material	Pack
RC350	35 cm	Scrub Pad + Fabric*	10
RC450	45 cm	Scrub Pad + Fabric*	10

*Support material: 100 % polyethylene; Fibres: 80 % polyacrylic, 20 % polyethylene



#### ErgoTec® Power WASHER

#### ErgoTec® T-bar and power microfibre sleeve.

- 20 % higher water absorption than standard microfibre sleeves
   Machine washable and suitable for tumble drying
- Two-component handle with water wells - Locks into place on the safety cone

Part No.	Size	Material	Pack
BC350	35 cm	Microfibre*	10
BC450	45 cm	Microfibre*	10

*Support material: 100 % polyester; Fibres: 100 % polyester



#### StripWasher® Monsoon STRIP PAC

#### Complete washer with blended, extra long fibre sleeve.

- Excellent cleaning power

- Sleeve with side scrub pad is machine washable up to 500 times - Lightweight plastic T-Bar with water wells fits securely to pole

Part No.	Size	Material	Pack	
MC350	35 cm	Blended fabric*	10	
MC450	45 cm	Blended fabric*	10	

*Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide



#### StripWasher® Original STRIP PAC

Complete washer with blended fabric sleeve.

- Good cleaning power - Sleeve is machine washable up to 500 times
- Lightweight plastic T-Bar with water wells fits securely to pole

Lightinoight	plastic i bai int	i nator netto neo becarety to	poto
Part No.	Size	Material	Pack
WC250	25 cm	Blended fabric*	10

WC250	25 cm	Blended fabric*	10	
WC350	35 cm	Blended fabric*	10	
WC450	45 cm	Blended fabric*	10	

*Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

### **TRADITIONAL WINDOW CLEANING WASHER T-BARS**



#### ErgoTec® NINJA T-BAR

Durable, lightweight hard anodized aluminium T-Bar. – Ergonomic bi-component handle with 180° swivel and lock function

Superior performance without causing excessive strain on arms and shoulders
 Fits securely to pole with Locking Cone

11000000100	to poto	man Looning	00110

Part No.	Size	Pack
NI250	25 cm	5
NI350	35 cm	5
NI450	45 cm	5
NI550	55 cm	5
NI750	75 cm	5

1/2 🐜



#### Durable plastic T-Bar with ergonomic bi-component handle.

Water wells for increased water retention
 Fits securely to pole with Locking Cone

Part No.	Size	Pack	
EH250	25 cm	10	
EH350	35 cm	10	
EH450	45 cm	10	



Lightweight aluminium T-bar with adjustable head and plastic handle. Angle adjustable to 7 positions with set screw
 Fits securely to pole with Locking Cone

Part No.	Size	Pack
SV350	35 cm	5
SV450	45 cm	5



#### Green Label WASHER T-BAR

Durable plastic T-Bar with ergonomic bi-component handle.

- Avoidance of toxic chemical products

Water wells for increased water retention
 Fits securely to pole with Locking Cone

– Made in Germany Part No.	Size	Pack
GTT35	35 cm	10
GTT45	45 cm	10



#### Alu T-BAR

Lightweight solid aluminium T-Bar with plastic handle.

Finger grooves on the handle for secure grip
 Fits securely to pole with Locking Cone

Part No.	Size	Pack	
AT150	15 cm	10	
AT250	25 cm	10	
AT350	35 cm	25	
AT450	45 cm	25	
AT550	55 cm	10	



#### UniTec T-BAR

Lightweight monolithic plastic T-Bar.

### Water wells for increased water retention Fits securely to pole with Locking Cone

Part No.	Size	Pack	
0E350	35 cm	10	
0E450	45 cm	10	

# **Quality Tools for Smart Cleaning**

/il *

/i] **

### TRADITIONAL WINDOW CLEANING **WASHER SLEEVES**



### ErgoTec® NINJA SLEEVE

#### Blended fabric sleeve with 2 abrasive side pads and hooks & loops fastener. - Ultimate cleaning performance

- With rows of scrubbing fibres for effective rem^oval of stubborn dirt

- High water retention +- E00 +:----

– Machine was	nable up to 500 t	imes		
Part No.	Size	Material	Pack	
NJ250	25 cm	Blended fabric*	10	
NJ350	35 cm	Blended fabric*	10	
NJ450	45 cm	Blended fabric*	10	
NJ550	55 cm	Blended fabric*	10	
NJ750	75 cm	Blended fabric*	5	

*Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide

#### **Power MICROFIBRE SLEEVE**

#### Power microfibre sleeve with scrubbing pad for ultimate cleaning power, with hooks & loops fastener

- 20 % higher water absorption than standard microfibre sleeves

<ul> <li>Machine was</li> </ul>	shable and suitable	e for tumble drying		
Part No.	Size	Material	Pack	
BS250	25 cm	Microfibre*	10	
BS350	35 cm	Microfibre*	10	
BS450	45 cm	Microfibre*	10	
BS550	55 cm	Microfibre*	10	

*Support material: 100 % polyester; Fibres: 100 % polyester

#### MicroStrip MICROFIBRE SLEEVE

#### Microfibre sleeve with scrub pad and hooks & loops fastener.

- Superior cleaning power

High water retention – up to 6 times its own weight
 Machine washable up to 500 times

Part No.	Size	Material	Pack	
NS250	25 cm	Microfibre*	10	
NS350	35 cm	Microfibre*	10	
NS450	45 cm	Microfibre*	10	

*Support material: 100 % polyamide; Fibres: 100 % polyethylene



#### Blended fabric standard sleeve with scrub pad strip and hooks & loops fastener.

- Time efficient cleaning of heavily soiled surfaces

<ul> <li>Machine washable up to 500</li> </ul>	times
------------------------------------------------	-------

Part No.	Size	Material	Pack	
RS350	35 cm	Scrub Pad + Fabric*	10	
RS450	45 cm	Scrub Pad + Fabric*	10	

*Support material: 100 % polyethylene; Fibres: 80 % polyacrylic, 20 % polyethylene



Good value deal

ores: 100 % polyes

¹ While stocks last



#### Monsoon SLEEVE

Blended fabric sleeve with extra long fibres, scrub pad and hooks & loops fastener. - Excellent cleaning power – High water retention

- Machine washable up to 500 times

Part No.	Size	Material	Pack	
MS150	15 cm	Blended fabric*	10	
MS250	25 cm	Blended fabric*	10	
MS350	35 cm	Blended fabric*	10	
MS450	45 cm	Blended fabric*	10	

*Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide



Blended fabric standard sleeve with hooks & loops fastener. Good cleaning power

- Machine washable up to 500 times

Part No.	Size	Material	Pack	
WS250	25 cm	Blended fabric*	10	
WS350	35 cm	Blended fabric*	10	
WS450	45 cm	Blended fabric*	10	

*Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

UniTec SLEEVE	

Synthetic fibre washer sleeve with snap fasteners.

– Good	cleaning	power
C		-1

- Machine washable up to 500 times

– Machine Washable up to 500 times				
Part No.	Size	Material	Pack	
ON2501	25 cm	Polyester*	10	
ON350	35 cm	Polyester*	10	
ON450	45 cm	Polyester*	10	
*Support material/Fibres: 100% polyester				

### **TRADITIONAL WINDOW CLEANING WASHERS**



#### **PRODUCT OVERVIEW WASHERS**



Use the guide below to compare various models of UNGER washers and sleeves and identify the right one for your cleaning tasks and budget.

#### **T-BARS** BUDGET HANDLE T-BAR SWIVEL FUNCTION $\circ$ Fits to Swivel Head Tension Locking Cone Material Material Weight Available Sizes Water wells adjustment ErgoTec® Plastic with rubber insert $\checkmark$ Screw Aluminium Very light 25 – 75 cm _ p. 39 NIŇJA ErgoTec[®] Plastic with rubber insert* ~ 35 – 45 cm *** _ _ Plastic Light p. 39 Green Label* Plastic with rubber insert ErgoTec[®] *** _ Plastic Light 25 – 45 cm $\checkmark$ p. 39 _ Alu ** Plastic /i Aluminium Very light 15 – 55 cm p. 39 _ _ _ Swivel ** /i $\checkmark$ 35 + 45 cm Plastic Knob Aluminium Very light _ p. 39 UniTec li × Plastic Plastic Light 25 – 45 cm ~ p. 39 _

*C2C Certified Material Health Certificate™ Silver

SLEEVES								
	BUDGET	MATERIAL	MICROFIBRE	FEATURES	AVAILABLE SIZES	FASTENING	SCRUB PAD	,O
ErgoTec® NINJA	***	100 % polyamide* 70 % polyacrylic** 20 % polyethylene** 10 % polyamide**	~	Ultimate cleaning performance	25 – 75 cm	Hooks & Loops	2 ×	p. 40
Power	***	100 % polyester*/**	~	20 % higher water absorption***	25 – 55 cm	Hooks & Loops	1 ×	p. 40
MicroStrip	***	100 % polyamide* 100 % polyethylene**	~	High water retention - up to 6 times its own weight	25 – 45 cm	Hooks & Loops	1 ×	p. 40
Monsoon	**	100 % polyamide* 70 % polyacrylic** 20 % polyethylene** 10 % polyamide**	-	Handles large areas	15 – 45 cm	Hooks & Loops	1 ×	p. 40
Pad	**	100 % polyethylene* 80 % polyacrylic** 20 % polyethylene**	-	Removes tough dirt	35 + 45 cm	Hooks & Loops	scrubbing surface	p. 40
Original	*	100 % polyethylene* 100 % polyacrylic**	-	Good cleaning power	25 – 45 cm	Hooks & Loops	1 ×	p. 40
UniTec	*	100 % polyester*/**	-	Standard cleaning power	25 – 45 cm	Snap fasteners	-	p. 40
* Support material				***than standard microfibre slee	ves			

* Support material ** Fibres









# TRADITIONAL WINDOW CLEANING





30°	

Switch the angle of the scraper head from 0 to 30° at the touch of a button!

See 1

Practical Holster & Scraper Combo

#### UNGER PREMIUM GLASS SCRAPER BLADES STAINLESS STEEL



- Durable dual-sided replacement scraper blades are made from rust resistant 440A grade stainless steel which provides excellent edge retention and break resistance, ensuring that blades stay sharp for a long time.
- Each blade undergoes a precise angle honing process, creating a razor sharp and consistent cutting angle, enhancing the speed and effectiveness of every scraper pass.
- Perfect for removing paint, decals, tape, heavy soil and debris from glass surfaces, as well as construction clean up.
- Compatible with most flat or angled 10 cm (4") or 15 cm (6") scrapers.

ERGO TEC[®] NINJA SCRAPER



### ErgoTec[®] NINJA HOLSTER

Made of durable solid plastic, the Holster is built to withstand frequent contact with sharp blades thanks to its integrated stainless steel strike plate.

Fits to most standard tool belts
 Fits the scraper with or without protective cap

Part No.	Compatible	Pack	
HT150	Fits 10 cm and 15 cm scraper	5	



	M GLASS S SS STEEL	SCRAPER BLADES	1	***
Part No.	Blade	Info	Pack	
ENB10	10 cm	1 case = 25 blades	10 cases	
ENB15	15 cm	1 case = 25 blades	10 cases	

Also fits ErgoTec[®], ProTrim and Trim scrapers



#### 42



#### ErgoTec® SAFETY SCRAPER *** Ergonomic scraper with safety mechanism. Spare blades: SRB10, SRB20, SRBDB. – Single sharp edge blade - Made of metal with rubber grip, sturdy and durable - Retractable blade for safety Pack Part No. Size Info SR03K 20 in a box 20 4 cm SR04K 50 4 cm 50 in a display box ** SAFETY SCRAPER Convenient scraper with safety mechanism. Spare blades: SRB10, SRB20, SRBDB. - Single sharp edge blade - Made of metal, sturdy and durable - Retractable blade for safety Part No. Size Info Pack SR20K 4 cm 20 in a box 20 SR50K 50 in a display box 50 4 cm STMIN 22233 **MINI SCRAPER** Handy plastic scraper with special locking mechanism. Extremely handy - fits anywhere!Single edge blade for safety - 2223: Gentle dirt removal on sensitive surfaces. Part No. Size Info Pack STMIN 100 4 cm carbon In a plastic bucket 22233 In a plastic bucket 100 4 cm plastic

**4 CM, SINGLE SHARP EDGE BLADE** 

#### CARBON STEEL BLADES FOR GLASS SCRAPERS 4 cm ***

#### For SR03K, SR04K, SR20K, SR50K, STMIN, 22233.

- Single edge razor blade with aluminium holder
- Easy to replace - SRBDB includes dispenser with tray for old blades

Part No.	Size	Info	Pack	
SRB10	4 cm	100 loose blades	1 box	
SRB20	4 cm	250 blades (50×5)	1 box	
SRBDB	4 cm	480 blades (48×10 in dispenser)	48 disp.	







#### 10/15 CM, REVERSIBLE SHARP BLADE



#### ErgoTec® GLASS SCRAPER

### Large surface blade with ergonomic bi-component handle. Spare blades: TR100 (10 cm), TR150 (15 cm).

– Reversible sharp blade

- Simple slide blade change, with protective cap for safety
- Fits securely to pole with Locking Cone

Part No.	Size	Info	Pack	
EG100	10 cm	Packed in a display box	10	
EG150	15 cm	Packed in a display box	10	



#### **PROTRIM 10**

#### The convenient lightweight scraper for every day. Spare blades: TR100, KL100.

Convenient and compact
Retractable blade for safety

- Blade replacement and cleaning at push of a button

Part No.	Size	Info	Pack	
TX100	10 cm	Packed in display box	10	

### **TRIM 10+1**

stainless steel glass scraper. In practical plastic box, with 10 blades. Spare blades: TR100, KL100. - Strong stainless steel

- Fits in UNGER squeegee handles
- Folding mechanism for safety

Part No.	Size	Info	Pack	
TM100	10 cm	1 case = 1 holder+10 blades	10 cases	
TH100	10 cm	1 box = 25 holder in bundles of 5	25	



#### CARBON STEEL BLADES FOR GLASS SCRAPERS 10/15 cm

#### Carbon steel blades with reversible sharp edges. For TX100, EG100, EG150, TM100, EN100, EN150. Part No. Size Info Pack KL100 250 loose blades 10 cm 1 box TR100 250 blades (10 cases × 25 blades) 10 cases 10 cm

IR150	15 cm	250 blades (10 )	cases×25 bladesJ	10 cases
250	14th		10	-

KL100

# SURFACE SCRAPERS

#### 10 CM, REVERSIBLE SHARP/BLUNT EDGE BLADE



ErgoTec® SCRAPER

***

Ergonomic surface scraper with bi-component handle. Spare blades: RB100. - Advanced ergonomic handle design for comfortable use . . . . . . . . .

- Angleu, neavy metal	fiead with fevel sible si	iai p/ blui il euge blaue
Part No.	Size	Pack
SH000	10 cm	10



#### ErgoTec® LONG HANDLE SCRAPER

The surface scraper with extra power with bi-component handle. Spare blades: RB100. - 25 cm long handle for extra reach and power

- Reversible sharp/blunt blade
  Blade protection cap for safety

Part No.	Size	Pack
SH250	10 cm	10



### STAINLESS STEEL BLADES FOR SURFACES

Reversible sharp/blunt edge stainless steel blade. For SH000, SH250

- Sharp edge for scraping off paint, stickers, etc.
- Blunt side for removing cement and stucco - Compact dispenser stores new and used blades
- Blades easily slide in and out of dispenser

Part No.	Size	Info	Pack
RB100	10 cm	1 dispenser = 10 blades	10 disp

#### i → EXPERT TIPS

- Check if glass is scratch-resistant and suitable for scraper use. Unsuitable for use on Plexiglas, crown glass, solar glass, safety glass (ESG). Follow the manufacturer's care instructions
- Perform a scrape test in advance on an inconspicuous section
- Before starting work, check the glass for damage and report it, if necessary
- Check the blade for damage and change it, if necessary, or reverse it
- The surface to be scraped should always be wet
- It is best to use a release agent, e.g. "UNGER's Liquid"
- Always scrape in one direction! Never pull the scraper back scratch risk!
- After scraping, check if adhesive or stucco residues are stuck to blade. If necessary, change or reverse blade

ATTENTION! UNGER blades are razor-sharp. Always handle with greatest care.





#### **OVERVIEW OF GLASS SCRAPERS**

	ASS SCRAPER sided sharp blade)	QUALITY	BLADE MATERIAL	BLADE SIZE	HANDLE	FITS ON SAFETY CONE	ANGLE ADJUSTMENT	BLADE Change	PROTECTION MECHANISM	,O
1	ErgoTec [®] NINJA (EN100, EN150)	***	Stainless steel	10 cm 15 cm	bi-component plastic		~	Carriage	Cap	p. 42
1	<b>ErgoTec®</b> (EG100, EG150)	***	Carbon steel	10 cm 15 cm	bi-component plastic	<b>L</b>	-	Carriage	Сар	p. 43
	PROTRIM (TX100)	***	Carbon steel	10 cm	Plastic	-	-	unfold	retractable blade	p. 43
	ErgoTec® SAFETY SCRAPER (SR03K, SR04K)	***	Carbon steel	4 cm	Stainless steel with rubber coating	-	-	push out sideways	retractable blade	p. 43
Ł	<b>TRIM 10+1</b> (TM100, TH100)	**	Carbon steel	10 cm	Stainless steel	-	-	push out sideways	Folding mecha- nism	p. 43
	SAFETY SCRAPER (SR20K, SR50K)	**	Carbon steel	4 cm	Stainless steel	-	-	push out sideways	retractable blade	p. 43
	MINI SCRAPER (STMIN, 22233)	*	Carbon steel (STMIN) Plastic (22233)	4 cm	Plastic	_	-	push out sideways	Turn blade	p. 43

						COMPAT	IBLE WITH S	CRAPER			PACKAGIN	IG	
GLASS SCRAPER BLADES (2-sided sharp)	QUALITY	MATERIAL	SIZE	NINJA	ERGOTEC	PROTRIM	TRIM 10+1	ERGOTEC SAFETY SCRAPER	MINI SCRAPER	BOX	BOX CONTENTS	PACK	<b>_</b> O
PREMIUM GLASS SCRAPER		Stainless	15 cm	~	~	-	-	-	-	Carry case	25 blades	10 carry cases (250 blades)	p. 42
BLADES (ENB10, ENB15)	***	steel	10 cm	~	~	~	$\checkmark$	-	-	Carry case	25 blades	10 carry cases (250 blades)	p. 42
			15 cm	$\checkmark$	$\checkmark$	-	-	-	-	Carry case	25 blades	10 carry cases (250 blades)	p. 43
GLASS SCRAPER			10 cm	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	-	-	Box	250 blades	1 box (250 blades)	p. 43
BLADES (KL100, TR100, TR150,	***	Carbon steel								Blister pack	100 blades	1 blister pack (100 blades)	p. 43
SRB10, SRB20, SRBDB)			4 cm	-	-	-	-	$\checkmark$	$\checkmark$	Display box	50 boxes of 5 blades each	1 box (250 blades)	p. 43
										Display box	48 Dispenser of 10 blades each	1 box (480 blades)	p. 43

#### **OVERVIEW OF SURFACE SCRAPERS**

SURFACE SCRAPERS (1-sided sharp blade)	QUALITY	BLADE MATERIAL	BLADE SIZE	HANDLE	FITS ON SAFETY CONE	MORE ANGL METAL HEA			ROTECTION	P
ErgoTec® SCRAPER (SH000)	***	Stainless steel	10 cm	bi-componen plastic	t 🗾	~	ur	iscrew	Сар	p. 44
FrgoTec® LONG HANDLE SCRAPER (SH250)	***	Stainless steel	10 cm	Long handle (25cm) bi-componen plastic	_	~	ur	iscrew	Сар	p. 44
				СОМРАТ	IBLE WITH SCR	APER		VERPACK	JNG	
SURFACE SCRAPERS BLADES (1-sided sharp)	QUALITY	MATERIAL	SIZE	ERGOTEC	ERGOTEC LONG HANDLE SCRAPER	FLOOR SCRAPER LIGHT	вох	BOX CONTENTS	PACK	P
PREMIUM SURFACE BLADES (RB100)	***	Stainless steel	10 cm	~	~	~	Display Box	10 Dispense 10 blades ead	r 10 Dispense ch (100 blades)	r p. 44





## TRADITIONAL WINDOW CLEANING **TELESCOPIC POLE SYSTEM**



#### **AVOID WORKING ON LADDERS**

- UNGER telescopic poles allow you to work safely reaching up to 10 m height, while standing on the ground
- The UNGER ErgoTec® Locking Cone ensures safer operation, since the tools lock in place and cannot drop
- Most accidents with ladders are caused by wrong handling, and not their damage
- Always check whether cleaning from the ground is a safe option. If not, discuss safe alternatives and corresponding costs with your client
- Always insist on safe working conditions. Do not risk your life just because the client does not accept certain services!
- Always choose the safest way. Ladders should not automatically be first choice simply due to convenience
- Ladders become extremely unsafe under certain conditions: Rain makes the ground slippery; uneven ground or contaminations can result in tilting, or even falling

#### **TELESCOPIC POLE SYSTEM**

#### Safety at the highest level.

**UNGER** telescopic poles have always been the ideal tool for the job when it comes to making professional glass cleaning from the ground easier - and in addition save time and money.

#### **NINJA™**

Thanks to the use of modern carbon material, the new NINJA[™] telescopic pole combines extreme rigidity with low weight. It also makes it easier to work at height, as its ergonomic triangular shape not only prevents twisting, but also ensures a secure and firm grip at all times. Its clamps, which are easy to operate with one hand, and its retracted length of max. 1.67 m (5,5 ft) ensure uncomplicated, efficient cleaning work in daily use.


- 2-, 3- or 4-section carbon fibre telescopic pole Available in 6 different lengths
- Reach over 5.50 m (18 ft)
- (max. pole length 5.50 m + body height)
- Maximum rigidity with low weight
- With NINJA™ Locking Cone included

#### OptiLoc

- 2 or 3 section telescopic pole
- Available in 9 different lengths
- Reach in excess of 9 m (30 ft) (max. pole length 9 m (30 ft) + body height)
- Weight and rigidity perfectly balanced
- ErgoTec® Locking Cone included

#### **TelePlus System**

- Extendable modular telescopic pole
- 2 section basic poles
- Extensions 1,25 m (4 ft) or 2,00 m (6,5 ft) simply attach
- Reach in excess of 10 m (32 ft)
  - (max. pole length 10 m (32 ft) + body height)
- ErgoTec® Locking Cone included



# TRADITIONAL WINDOW CLEANING NINJA CARBON TELESCOPIC POLE



# MONDA

### THE NEW NINJA™ CARBON TELESCOPIC POLE

### SHORT COLLAPSED LENGTH

Extremely handy and easy to stow and transport

### LOCKING CONE

- Compatible with all UNGER tools
- Prevents the tools from falling
- Quick and easy tool change



Available from June 2025

### EASY TO OPERATE CLAMPS

- Can be opened and closed quickly with one hand
- Stepless adjustment of the pole length
- Secure fixing when closing
- Pull-out stop prevents the pole elements from being pulled out too far

#### **CARBON MATERIAL**

- Stiffer and more stable with optimum pressure transfer to the surface
- Low weight for fatiguefree working

### 100% CARBON

### 2-COMPONENT HANDLE WITH NON-SLIP END CAP

- Ergonomic and secure grip, even in wet environments
- Safe stand when putting down the telescopic pole

### ERGONOMIC TRIANGULAR SHAPE

Precise and safe working without twisting or bending

#### NINJA[™] CARBON-TELESCOPIC POLE

Part No.	Sections	Extended	Collapsed	Material	Pack	
NCP12	2	1,20 m	0,77 m	Carbon	1	
NCP19	4	1,90 m	0,77 m	Carbon	1	
NCP25	2	2,50 m	1,42 m	Carbon	1	
NCP35	3	3,50 m	1,42 m	Carbon	1	
NCP45	4	4,50 m	1,42 m	Carbon	1	
NCP55	4	5,50 m	1,67 m	Carbon	1	

#### NINJA[™] ANGLE ADAPTER

Part No.	
NCPAN	

NEW

**Length** 26 cm

Material Pack Plastic 5

# TRADITIONAL WINDOW CLEANING TELESCOPIC POLE SYSTEM

OptiLoc F	POLE, 2 SECTIO	ONS			OptiLoc	POLE, 3 SECT	IONS		
-	ponent handles and		th ErgoTec® l	ocking Cone.	-	ponent handles ar		h EraoTec®	Locking Con
Part No.	Size max.	Size min.	Pack	<b>j</b>	Part No.	Size max.	Size min.	Pack	j
EZ120	1,25 m	0,78 m	10		ED180	1,85 m	0,96 m	10	
EZ250	2,50 m	1,40 m	10		ED370	3,75 m	1,57 m	10	
EZ300	3,00 m	1,65 m	10		ED450	4,50 m	1,82 m	10	
EZ400	4,00 m	2,13 m	10		ED600	6,00 m	2,27 m	10	
					ED750	7,50 m	2,81 m	10	
					ED900	9,00 m	3,37 m	10	
		071011			-				
	GE POLE, 1 SE each for cleaning gl		ec® Locking	cone. Ø 21 mm	E Tł	IE OPTI LOC			
Part No.	Size	-	ack		TE	ELESCOPIC P	OLES		
HH240	60 cm		10						<b>B B B B B B B B B B</b>
	EXTENSION each for cleaning gl	ass. With Ergol	ec® Locking	cone. Ø 21 mm					
Additional re Part No.	each for cleaning gl Size	P	ack	cone. Ø 21 mm					
Additional ro Part No.	each for cleaning gl	P	-	cone. Ø 21 mm					
Additional ro Part No.	each for cleaning gl Size 26 cm	P	ack	cone. Ø 21 mm					
Additional ro Part No. HH000 TELE PI	each for cleaning gl Size 26 cm	P	ack	cone. Ø 21 mm					
Additional re Part No. HH000 TELE PI	each for cleaning gl Size 26 cm -US POLE, 1,25 m	P	<b>ack</b> 10	cone. Ø 21 mm		<b>3</b> EXTENSION			
Additional re Part No. HH000 TELE PI TelePlus Modular Tel	each for cleaning gl Size 26 cm LUS POLE, 1,25 m escopic pole with En	P SECTIONS rgoTec® Locking	ack 10 g Cone.	-	Extension for	or 2 section poles.	Ø 29 mm		
Additional re Part No. HH000 TELE PI TelePlus Modular Tel Part No.	each for cleaning gl Size 26 cm LUS POLE, 1,25 m escopic pole with En Size max.	P SECTIONS rgoTec® Locking Size min.	ack 10 g Cone. Sections	Pack	Extension for Part No.	or 2 section poles. Size	Ø 29 mm Pa	ack	
Additional re Part No. HH000 TELE PI TelePlus Modular Tel Part No. TZ250	each for cleaning gl Size 26 cm LUS POLE, 1,25 m escopic pole with En Size max. 2,50 m	P SECTIONS rgoTec® Locking Size min. 1,66 m	ack 10 g Cone. Sections 2	<b>Pack</b> 5	<b>Extension fo</b> <b>Part No.</b> T3120	or 2 section poles. Size 1,25 r	<b>Ø 29 mm</b> • Pa m	5	-
Additional re Part No. HH000 TELE PI TelePlus Modular Tel Part No. TZ250 TD370	each for cleaning gl Size 26 cm LUS POLE, 1,25 m escopic pole with Er Size max. 2,50 m 3,70 m	P SECTIONS rgoTec® Locking Size min. 1,66 m 1,70 m	ack 10 g Cone. Sections 2 3	<b>Pack</b> 5 5	Extension for Part No.	or 2 section poles. Size	<b>Ø 29 mm</b> • Pa m	-	
Additional re Part No. HH000 TELE PI Tele Plus Modular Tel Part No. TZ250 TD370 TV500	Each for cleaning gl Size 26 cm LUS POLE, 1,25 m Escopic pole with En Size max. 2,50 m 3,70 m 5,00 m	P SECTIONS rgoTec® Locking Size min. 1,66 m 1,70 m 1,75 m	ack 10 g Cone. Sections 2 3 4	<b>Pack</b> 5 5 5 5	<b>Extension fo</b> <b>Part No.</b> T3120	or 2 section poles. Size 1,25 r	<b>Ø 29 mm</b> • Pa m	5	
Additional re Part No. HH000 TELE PI TELE PI Solution Tele Plus Modular Tel Part No. TZ250 TD370 TV500	each for cleaning gl Size 26 cm LUS POLE, 1,25 m escopic pole with Er Size max. 2,50 m 3,70 m	P SECTIONS rgoTec® Locking Size min. 1,66 m 1,70 m	ack 10 g Cone. Sections 2 3	<b>Pack</b> 5 5	<b>Extension fo</b> <b>Part No.</b> T3120	or 2 section poles. Size 1,25 r	<b>Ø 29 mm</b> • Pa m	5	
Additional re Part No. HH000 TELE PI TELE PI Solution Tele Plus Modular Tel Part No. TZ250 TD370 TV500	Each for cleaning gl Size 26 cm LUS POLE, 1,25 m Escopic pole with En Size max. 2,50 m 3,70 m 5,00 m	P SECTIONS rgoTec® Locking Size min. 1,66 m 1,70 m 1,75 m	ack 10 g Cone. Sections 2 3 4	<b>Pack</b> 5 5 5 5	Extension for Part No. T3120 T3200 T3200	or 2 section poles. Size 1,25 r 2,00 r 34 EXTENSION	Ø 29 mm • Pa n n	5	
Additional re Part No. HH000 TELE Pl TelePlus Modular Tel Part No. TZ250 TD370 TV500 TF620	Each for cleaning gl Size 26 cm LUS POLE, 1,25 m Escopic pole with En Size max. 2,50 m 3,70 m 5,00 m	P SECTIONS rgoTec® Locking Size min. 1,66 m 1,70 m 1,75 m 1,78 m	ack 10 g Cone. Sections 2 3 4	<b>Pack</b> 5 5 5 5	Extension for Part No. T3120 T3200 T3200 TelePlus Extension for	or 2 section poles. Size 1,25 r 2,00 r 34 EXTENSION or 3 section poles.	Ø 29 mm Pa n N Ø 33 mm	5	
Additional re Part No. HH000 TELE PI TelePlus Modular Tel Part No. TZ250 TD370 TV500 TF620 TelePlus	each for cleaning gl Size 26 cm LUS POLE, 1,25 m escopic pole with En Size max. 2,50 m 3,70 m 5,00 m 6,20 m	P SECTIONS rgoTec® Locking Size min. 1,66 m 1,70 m 1,75 m 1,78 m SECTIONS	ack 10 g Cone. Sections 2 3 4 5	<b>Pack</b> 5 5 5 5	Extension for Part No. T3120 T3200 T3200 TelePlus Extension for Part No.	or 2 section poles. Size 1,25 r 2,00 r 34 EXTENSION or 3 section poles. Size	Ø 29 mm Pa n n V Ø 33 mm	5 5 ack	
Additional re Part No. HH000 TELE PI TelePlus Modular Tel Part No. TZ250 TD370 TV500 TF620 TF620	POLE, 1,25 m Size 26 cm LUS POLE, 1,25 m escopic pole with En Size max. 2,50 m 3,70 m 5,00 m 6,20 m	P SECTIONS rgoTec® Locking Size min. 1,66 m 1,70 m 1,75 m 1,78 m SECTIONS	ack 10 g Cone. Sections 2 3 4 5	<b>Pack</b> 5 5 5 5	Extension for Part No. T3120 T3200 T3200 TelePlus Extension for Part No. T4120	or 2 section poles. Size 1,25 r 2,00 r 4 EXTENSION or 3 section poles. Size 1,25 r	Ø 29 mm Pa n n N Ø 33 mm Pa n	5 5 ack 5	
Additional re Part No. HH000 TELE PI TelePlus Modular Tel Part No. TV500 TV500 TF620 TElePlus Modular Tel Part No.	each for cleaning gl Size 26 cm LUS POLE, 1,25 m escopic pole with En Size max. 2,50 m 3,70 m 5,00 m 6,20 m	P SECTIONS rgoTec® Locking Size min. 1,66 m 1,70 m 1,75 m 1,75 m 1,78 m SECTIONS	ack 10 g Cone. 2 3 4 5 5	Pack 5 5 5 5 5	Extension for Part No. T3120 T3200 T3200 TelePlus Extension for Part No.	or 2 section poles. Size 1,25 r 2,00 r 34 EXTENSION or 3 section poles. Size	Ø 29 mm Pa n n N Ø 33 mm Pa n	5 5 ack	
Additional re Part No. HH000 TELE PI TelePlus Modular Tel Part No. TZ250 TD370 TV500 TF620 TF620 TElePlus Modular Tel Part No. TZ400	each for cleaning gl Size 26 cm -US POLE, 1,25 m escopic pole with En 3,70 m 5,00 m 6,20 m POLE, 2,00 m escopic pole with En Size max.	P SECTIONS rgoTec® Locking Size min. 1,66 m 1,70 m 1,75 m 1,75 m 1,78 m SECTIONS rgoTec® Locking Size min.	ack 10 5 5 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Pack 5 5 5 5 5 5	Extension for Part No. T3120 T3200 T3200 TelePlus Extension for Part No. T4120	or 2 section poles. Size 1,25 r 2,00 r 4 EXTENSION or 3 section poles. Size 1,25 r	Ø 29 mm Pa n n N Ø 33 mm Pa n	5 5 ack 5	
Additional re Part No. HH000 TELE PI TELE PI S Modular Tel Part No. T2250 TD370 TV500 TF620	each for cleaning gl Size 26 cm LUS POLE, 1,25 m escopic pole with En 3,70 m 5,00 m 6,20 m POLE, 2,00 m escopic pole with En Size max. 4,00 m	P SECTIONS rgoTec® Locking Size min. 1,66 m 1,70 m 1,75 m 1,75 m 1,78 m SECTIONS rgoTec® Locking Size min. 2,24 m	ack 10 g Cone. 2 3 4 5 5 g Cone. Sections 2 2 3 4 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Pack 5 5 5 5 5 5 5 7 8	Extension for Part No. T3120 T3200 T3200 TelePlus Extension for Part No. T4120	or 2 section poles. Size 1,25 r 2,00 r 4 EXTENSION or 3 section poles. Size 1,25 r	Ø 29 mm Pa n n N Ø 33 mm Pa n	5 5 ack 5	

#### TelePlus5 EXTENSION

Extension for 4	section poles. Ø 37 mm	ı
Part No.	Size	Pack
T5120	1,25 m	5
T5200	2,00 m	5



#### OVERVIEW TELESCOPIC POLES

							PO	LE LENO	GTH				LENGTH		
TELESCOPIC POLES	QUALITY	EXTENSION	ELE- MENTS	UP TO 2 M	UP TO 3 M	UP TO 4 M	UP TO 5 M	UP TO 6 M	UP TO 7 M	UP TO 8 M	UP TO 9 M	UP TO 10 M	ADJUST- MENT	HANDLE	SAFET
			2	NCP12	NCP25									2c plastic	
		Telescopic	3			NCP35							Clamps	with	
Ninja Carbon	***	retescopie	4	NCP19			NCP45						otamps	Anti-slip end cap	L.
			5					NCP55						end cup	
			2	EZ120	EZ250 EZ300	EZ400							Twist lock.	2c plastic with	
OptiLoc (Alu)	***	Telescopic	3	ED180		ED370	ED450	ED600	ED600	ED750	ED900		2c plastic	Anti-slip end cap	١ <u>ا</u>
			2		TZ250	+ T3120	+ T3120 + T4120		+ T3120 + T4120 + T5120						
			3			TD370	+ T4120		+ T4120 + T5120						
TelePlus	**	Telescopic	2			TZ400		+ T3200	110120	+ T3200 + T4200		+ T3200 + T4200 + T5200	Twist lock,	Plastic	
(Alu)	~~~	+ modular	4				TV500		+ T5120				plastic	T tublic	Ľ.
(			3					TD600		+ T4200		+ T4200 + T5200			
			5						TF620						
			4							TV800		+ T5200			
			5									TF100			



### LEARN HOW TO WASH WINDOWS WITH TELESCOPIC POLES







### TRADITIONAL WINDOW CLEANING **ADAPTERS & MAINTENANCE**



Compatible with all traditional UNGER poles
 Freely adjustable angle

···))		
Part No.	Pack	
NCPAN	5	



#### ANGLE ADAPTER FOR ALU-POLES

Freely adjustable angle allows access to hard-to-reach places. Available in sturdy zinc version or lightweight plastic version
 Fits to tradtional UNGER aluminium telesconic poles

	. ONOEN aturninum tetescop	bic potes
Part No.	Version	Pack
CJA00	Zinc	5
CJN00	Plastic	5



#### ErgoTec® LOCKING CONE

Securely locks tools on the telescopic pole. Incl. ACME thread - Compatible with all UNGER systems Quick and a sy tool ch

- Guick and easy toot che	inge via retease buttori	
Part No.	Pack	
NCAN0	5	



5

- Cone is inserted into alu pole and locks in place via stand spring Dart M-Pack

Part No.	
NCA00	





#### **THREAD ADAPTER 1/2" FOR ALU-POLES**

Anodized aluminium adapter for fitting the Pad Holder to aluminium poles. - Fits into any UNGER aluminium pole with 21mm diameter - just click in - Enables connection between aluminium poles and MultiLink Goosenecks, Extensions and Brushes

Pack

5

Part No. AFAET





#### THREAD ADAPTER 1/2" FOR ALU-POLES

With 1/2" thread. Fits conventional brooms. - Adapter is inserted into pole and locks in place via stand spring

Part No.	Pack	
BE000	5	



#### Innovative cleaning system, ideal for cleaning large and high surfaces such as boats and vehicles.

Firmly retains a sponge or cloth by tightening the locking collar
 Fits on telescopic pole

– Stiff bristle brush	effectively removes stubbo	rn dirt	
Part No.	Version	Pack	
FIXI0	Clamp	5	
HBR00	Brush	5	
SP010	Sponge	10	

### TRADITIONAL WINDOW CLEANING WINDOW CLOTHS



#### WINDOW MICROFIBRE CLOTH SYSTEM



#### **CLEANING WITH MICROFIBRE**

Microfibre is highly efficient in removing dirt, oils, embedded soils and bacteria from surfaces without chemicals due to its slightly abrasive fibre texture. When used dry the statically charged fibre attracts and holds dust in place, unlike cotton or paper cloths.

Highly absorbent microfibre requires less water and chemicals for effective cleaning, allowing a reduction in water and harsh chemical consumption.

Microfibre is hard wearing and reusable generating less waste for landfill disposal than cotton or paper disposable cloths.



#### The sustainable microfibre cloth.

- Sustainable fibre production with reduced environmental impact

- Packaged in recycled folia

Fabric weight: 350 g/m²
Machine washable up to 500 times

Part No.	Size	Material	Pack	
GTMC4	40 × 40 cm	Microfibre**	10	
GTMC6	60 × 80 cm	Microfibre**	10	
**80 % recycled polyester, 20 % polyamide				



#### - Fabric weight: 300 g/m²

- Super soft, easy to use low friction material
- Overlock stitch along the edges ensures shape retention
- Machine washable up to 200 times

Part No.	Size	Material	Pack	
MF40E	40 × 40 cm	Microfibre*	10	
MF60E	60 × 80 cm	Microfibre*	10	

#### ErgoTec® NINJA MICROWIPE

#### Best in Class premium lint free microfibre cloth.

- Fabric weight: 400 g/m²
   Double sided coarse for cleaning and smooth for polishing
- With 4 scrubbing corners for removing stubborn dirt
- Pocket corners for hanging the cloth on the pole for detailing at height
   Reinforced overlock stitch along the edges ensures shape retention
- Machine washable up to 500 times

Part No.	Size	Material	Pack	
MN40H	40 × 40 cm	Microfibre*	5	
MN55H	55 × 55 cm	Microfibre*	5	
MN60H	80 × 60 cm	Microfibre*	5	



- Fabric weight: 350 g/m²
- Double sided coarse for cleaning and smooth for polishing

- Overlock stitch along the edges ensures shape retention - Machine washable up to 500 times

Part No.	Size	Material	Pack
MF40L	40 × 40 cm	Microfibre*	10
MF60L	60 × 80 cm	Microfibre*	10



### CHAMOIS

Professional quality sheepskin chamois. - Excellent for glass cleaning

- Quality checked by hand

addity one	ened by nama		
Part No.	Size	Material	Pack
FS450	ca. 0,4 m ²	Sheepskin	5
FS550	ca. 0,5 m ²	Sheepskin	5

* 80 % polyester, 20 % polyamide

## TRADITIONAL WINDOW CLEANING **BUCKETS, BELTS, POUCHES**



#### Bucket for glass cleaning, made of hon-hazardous materials.

- Avoidance of toxic chemical products
- Durable and ergonomic handle fits comfortably in the hand. Vertical handle lock position - Includes storage options for washers and window squeegees up to 35 cm wide
- Made in Germany Part No. Capacity / Inside dimension Pack GTB12 12 l / 40 × 19cm 10 **BUCKET 12 L** Bucket for glass cleaning. - Compact, rectangular design for easier transportation - Durable and ergonomic handle fits comfortably in the hand. Vertical handle lock position - Includes storage options for washers and window squeegees up to 35 cm wide - Two spouts, measuring scale - Made in Germany Part No. Capacity / Inside dimension Pack QB12B 12 L / 40 × 19cm 10 **BUCKET 28 L** Large bucket for glass cleaning. – Holds 45 cm squeegee - Features measuring scale and two spouts - Available optional accessories: lid, bucket sieve Capacity / Inside dim. Part No. Pack QB220 28 l / 54 × 26,5 cm 5 QB080 QB060 **ACCESSORIES FOR BUCKET 28 L** Part No. Product Pack QB060 **Bucket Sieve** 5 QB080 Lid 5 BB010 BB020 **BUCKET ON A BELT** Durable plastic holder for squeegee, washer, scraper, - Conveniently holds all important tools - Ideal for use on ladders, indoors or in narrow spaces - BB010 with Protector insert for optimum squeegee compatibility Part No. Can hold the following tools Pack BB010 NINJA: 1 washer, 2 squeegees, 1 scraper 5 BB020 Classic: 1 squeegee, 1 washer, 1 scraper 5



#### ErgoTec® BELT

Solid belt for carrying tool holders. 4 eyes, padding, quick release.

Part No.	Size	Material	Pack
BSTBT	80 – 130 cm	Nylon	1



#### ErgoTec® POUCH

3 compartments. Dry and damp cloths can be stored separately. Front pocket with flap and hooks & loops fastener.

Part No.	Size	Material	Pack	
BSPOU	30 × 37 cm	Nylon	1	



#### **CANVAS APRON**

#### Made of solid nylon with 2 large compartments for cloths, scraper, etc.

- Keeps essential tools protected

- Great for working at height Includes adjustal o hol

metades adjustable	bett		
Part No.	Material	Pack	
SRZ10	Nylon	10	



#### **HENRY'S DOUBLEHOLSTER**

- Leather tool holder, two compartments. For fastening to belt.
- Convenient for holding squeegees and washers
   Extremely solid quality leather

- Fits on most belts



THE BELT

Pack

5

Solid nylon belt for attaching bucket and other tools on a belt.

- Convenient loops for tools (squeegee, etc.) - Clip lock for quick fastening

- Adjustable length

SL010

Part No.	Size	Material	Pack		
UB000	115 cm	Polypropylene, nylon	5		
	ta.	1 1000			
		LASSO			
<b>Belt fastening safety tool to secure a squeegee.</b> - Prevents squeegee from dropping - Flexible and solid, with inner cord made from kevlar - Secure hold					
Part No.		Size	Pack		

55 cm

10

### TRADITIONAL WINDOW CLEANING **SOAP, GLOVES**



Part No.	Content	Pack
RUB20	0,5 l	12





**Quality Tools for Smart Cleaning** 

#### ErgoTec® WINDOW CLEANING GLOVES

#### Top quality for professional requirements

- Membrane technology, waterproof and breathable, hands stay dry and safe
- Merino wool lining, comfortable and keeps hands wand without sweating
- Excellent grip, non-slip coating esures a secure grip function of cmortph

- rouchscreen function, easy use of smartphones					
Part No.	Size	Hand circumference	Pack		
GLON2	М	20 – 21 cm	5		
GLON3	L	22 – 23 cm	5		
GLON4	XL	24 - 25 cm	5		

MATERIAL:

OUTER: 90% nylon, 10% elastane

MEMBRANE: breathable membrane INSIDE: 35% merino wool, 35% polyester, 26% nylon, 4% elastane



#### ErgoTec® NEOPRENE GLOVES

- Gloves for window cleaning, made of 3 mm thick textile neoprene.
- Tear resistant stitching and glue seal along seams for durability
   Knuckle inserts and flexible curved shape for ultra comfort

Non slip palm with screened-on silicone for secure grip

- Adjustable hooks & loops wrist strap

Part No.	Size	Hand circumference	Material	Pack	
GL02L	8	20 – 21 cm	Neoprene, textile	5	
GL02X	9	22 – 23 cm	Neoprene, textile	5	
GL02Z	10	24 – 25 cm	Neoprene, textile	5	



#### **NEOPRENE GLOVES**

- Tear resistant stitching and glue seal along seams for durability

- Soft and comfortable on inside
- Non slip palm for secure grip

⁻ Adjustable hooks & loops wrist strap

Part No.	Size	Hand circumference	Material	Pack
GLOV1	7	18 – 19 cm	Neoprene, rubberized	10
GLOV2	8	20 – 21 cm	Neoprene, rubberized	10
GLOV3	9	22 – 23 cm	Neoprene, rubberized	10
GLOV4	10	24 – 25 cm	Neoprene, rubberized	10

#### i **IDENTIFY YOUR GLOVE SIZE:**

Measure the circumference of your hand at the widest point, right under the knuckles, excluding thumb. Check our size guide charts on the right to identify your glove

size.

#### ATTENTION: Neoprene gloves

run up to one size smaller. Our recommendation: Order one size larger than you usually wear. The tables provide guidelines for your glove size. We always recommend trying them on before buying!



Gloves for window cleaning. Rubber Neoprene.

# TRADITIONAL WINDOW CLEANING WINDOW CLEANING KITS

The new glass cleaning kits top equipment for every need





- High-quality, attractive packaging
- Including detailed instructions for professional window cleaning
- All products in the kit are fully assembled
- Comprehensive sales support available for online sales.
- Three quality levels and equipment the right one for every need.

The attractive kit scores points on the shelf and in online sales





ERGOTEC

Professional glass cleaning kits with high-quality ErgoTec[®] products for professional glass and building cleaners ergonomic and efficient.



Illustration similar

ErgoTec® KITS	STARTER KIT	ADVANCED KIT	COMPLETE KIT
Part No. / Product	<b>2</b> in1	<b>3</b> in 1	<b>6</b> in 1
ES35G ErgoTec® Squeegee 35 cm with green rubber	~	$\checkmark$	$\checkmark$
EH350 ErgoTec® T-Bar 35 cm with Power sleeve (BS350)	~	~	~
QB12B Bucket 12 L		~	~
FR100 UNGER Liquid 1 L soap			~
SR03K ErgoTec [®] Safety Scraper 4 cm			~
MF40L MicroWipe Microfibre Cloth 40 × 40 cm			~
Part No.	AK011A	AK013	AK015
Pack	5	1	1

# **TRADITIONAL WINDOW CLEANING** WINDOW CLEANING KITS

TINTA

EN350 Ninja Squeegee 35 cm


BB010 Ninja Bucket on a Belt EN100 Ninja Glass Scraper 10 cm

HT150 Ninja Holster 15 cm

NA350 Ninja Washer complete, 35 cm

MN40H Ninja MicroWipe microfibre cloth 40 x 40 cm





Top performance for the professional glass and window cleaner.

**ADVANCED KIT** 

Lin 1

 $\checkmark$ 

1

~


# Glass cleaning kit with tools for

PRO WINDOW CLEANING KITS	STARTER KIT	ADVANCED KIT
Part No. /Product	<b>2</b> in1	<b>L</b> in 1
SE350 S-Squeegee 35 cm	$\checkmark$	$\checkmark$
0N350 UniTec Washer 35 cm, with UniTec sleeve (0E350)	~	~
SR20K Safety Scraper 4 cm		~
MF40E MicroWipe Lite Microfibre Cloth 40x40 cm		~
Part No.	AKG10	AKG14
Pack	10	10

streak-free window cleaning.



Illustration similar



**STARTER KIT** 

**2**in 1

1 7





**COMPLETE KIT** 

6 in 1

*、* 

~

~

 $\checkmark$ 

 $\checkmark$ 

 $\star\star$ 





# TRADITIONAL WINDOW CLEANING WINDOW CLEANING KITS

#### ERGO TEC® KIT

#### Top of the range complete glass cleaning kit.

Contains comprehensive selection of ErgoTec[®] tools for professional glass cleaning.The extensive products are completely housed in a sturdy nylon carrier bag.



Content	
MF40L	(3 ×) MicroWipe Microfibre Cloth, 40 × 40 cm
ETG00	ErgoTec® Squeegee Handle
NS350	StripWasher® Micro Sleeve, 35 cm
EH350	ErgoTec® T-bar, 35 cm
SH000	ErgoTec® Scraper, 10 cm
PCLIP	Plastic Clips
RR920	Soft Rubber, 92 cm
SR03K	ErgoTec® Safety Scraper
NE250	S-Channel with Soft Rubber, 25 cm
NE350	S-Channel with Soft Rubber, 35 cm
NE450	S-Channel with Soft Rubber, 45 cm
EZ250	OptiLoc Telescopic pole, 2 sections, 2,50 m
Part No.	ETSET
Pack	1

#### TRANSET

#### Glass cleaning kit

Contains a basic set of tools for professional glass cleaning for beginners. The products are stored in a sturdy nylon carrier bag.



Content:	
PR000	Pro-Squeegee Handle
NE250	S-Channel with Soft Rubber, 25 cm
NE350	S-Channel with Soft Rubber, 35 cm
NE450	S-Channel with Soft Rubber, 45 cm
RR920	Soft Rubber, 92 cm
WC350	StripWasher® Original Strip Pac, 35 cm
EZ250	OptiLoc Telescopic Pole, 2 sections, 2,50 m
FIXI0	FIXI Clamp
HBR00	FIXI Brush
SP010	FIXI Sponge
SR20K	Safety Scraper
TX100	ProTRIM10 Scraper
Part No.	TRS00
Pack	1

#### **CONSERVATORY** KITS

#### Starter Kit

For cleaning with a telescopic pole. Contains ideal basic equipment for glass cleaning and conservatory cleaning with a telescopic pole.

#### **Complete Kit**

Includes tools to effortlessly clean conservatories, patio roofs, glass extensions and other areas that are difficult to access.



Content:		STARTER KIT	<b>COMPLETE KIT</b>
ED450	OptiLoc telescopic pole, 3 sections, 4,50 m		$\checkmark$
EZ120	OptiLoc telescopic pole, 2 sections, 1,25 m	$\checkmark$	
VV350	VisaVersa® Pro 35 cm	~	$\checkmark$
MF40L	MicroWipe microfibre cloth 40 × 40 cm	$\checkmark$	$\checkmark$
MF40E	MicroWipe microfibre cloth Lite 40 × 40 cm	ı	$\checkmark$
FG050	UNGER's Gel window cleaning soap 0,5 l		$\checkmark$
COBW0	StarDuster® Cobweb 20 cm		$\checkmark$
Part No.		AK131	AK130
Pack		1	1



**





Quality Tools for Smart Cleaning

### The most efficient indoor cleaning tool ever!

#### Recent research indicates that when cleaning indoor

windows, cleaning professionals face 2 key challenges – efficiency and safety. Current tools lead to time consuming issues, like re-arranging of furniture and reaching high or unusually positioned windows. Current solutions to these issues lead to more wasted time and the risks associated with the use of ladders. Moreover, for the least experienced need for intensive staff training create additional problems.

The **UNGER Stingray** system stands for excellent results even without professional window cleaning experience. Its highly intuitive design requires minimal operator training and it is suitable for most washable surfaces!

#### Increased productivity, greater cost efficiency and sustainability because:

- 25% faster than traditional methods*
- ▶ 39 % less liquid consumption*
- Numerous ergonomic benefits improve workers' comfort and safety – less downtime and health risks!
- Perfect for daytime cleaning: no drips and no runs = no mess and health risks!




INCREDIBLE EASE-OF-USE Professional results with minimal training



ERGONOMIC AND SAFE Comfortable and safe working up to 5 m



TOTAL FLEXIBILITY Can be filled with ready-touse glass and surface cleaners or with pure water



CLEANING

HyCo Mück

red<mark>dot</mark> design award

### INDOOR WINDOW CLEANING **STINGRAY OS SYSTEM**



SREXS	(0,63m)		$\checkmark$	$\checkmark$	$\checkmark$
SREXL	Easy-Click-Poles-long (1,24m)	$\checkmark$		2x	3х
SRPD2	Deep Cleaning Microfibre TriPad		2x	2x	2x
SRADK	Adapter with 25 QuickPads	$\checkmark$			
SRBAG	Stingray Bag				$\checkmark$
Pack		1	1	1	1



#### Stingray GLASS DEEP CLEANING TRIPAD

#### **Microfibre Cleaning Pads**

- Superb cleaning power thanks to premium microfibre - Including colour coding stripes
- Elastic bands for secure fit and easy assembly
- 5 pads in a box (= minimum order quantity)
  Size: 25 × 25 × 25 × 2,50 cm, machine washable up to 300 times

#### Part No. Material

SRPD2 90 % polyester, 10 % polyamide 5

Pack



#### **Stingray** QUIKPADS

#### Hygienically clean without having to launder

- Quickly and safely removes fingerprints, grease, etc.
- Optimal for preventing cross contamination
   Coverage per QuikPad: 15 m²
- 3-layer construction: cleaning layer, absorbent core, and fastening layer
- Adapterplate (SRADK) for subsequent conversion of Stingray hand tools
- Quick and easy nad change

Pack of 100

	,			
Part No.	Version	Material	Pack	
SRADK	1 × Adapter, 25 × QuikPads	54 % polyester, 46 % viscose	1	
SRPD3	Pack of 25	54 % polyester, 46 % viscose	1	

54 % polyester, 46 % viscose

1

#### Stingray EASY-CLICK-POLES

#### Extends the Stingray unit by 1,24 m

- Reinforced for a working height of up to 5 m.

- Triangular shape for enhanced grip - Light, rigid aluminium, features Easy-Click mechanism and spray activation button



#### **Stingray** BAG

Lightweight nylon bag for storage and transportation of your complete Stingray System. - Zip fastening allows bag to open flat

- Multiple fasteners and pockets for additional tools Part No. Pack Size SRBAG 130 × 33 × 5 cm 1 gray-Sys, no tank

#### Stingray GLASS CLEANER

Professional Glass Cleaner powered by 3M Scotchgard™, for Stingray system with silver cover, without tank.

- Easy gliding, quick drying - high efficiency


- Cleaning power up to 150 m² (at low to medium polluted surfaces) - 24 pouches (150 ml) in a box (= minimum order quantity)

Part No.	Content	Pack
SRI 01	150 ml	24

SRPD4

# INDOOR WINDOW CLEANING **CLEANING SYSTEM**





#### STARTER SET



#### INDOOR CLEANING STARTER SET

Content: PHL20 (5x) Microfibre Cleaning Pad 27 cm PHH20 Pad Holder 24 cm AFAET Thread adapter for Alu-Poles

Part No. PFK20

Pack 1



#### MICROFIBRE CLEANING PAD

Extra smooth, easy glide microfibre pad for regular cleaning.

- Removes dust, fingerprints, grease and other light dirt from glass - Strong hooks & loops backing for attaching to Pad Holders PHH20 and PHD20

Part No.	Size	Material	Pack	
PHL20	27 cm	70 % polyester, 30 % polyamide	5	



#### MICROFIBRE WASH PAD

#### Microfibre wash pad for periodic washing and heavy soil.

- 15 mm long, thick fibres easily remove tough dirt - Strong hooks & loops backing for attaching to Pad Holder PHH20 & PHD20

-				
Part No.	Size	Material	Pack	
PHW20	29 cm	100 % polyethylene	5	
and a second				
and a second				
2	a street			
1000	in the			
2.		SCRUB PAD, \	WHITE	

#### Abrasive scrub pad for removing tough dirt.

- Removes stubborn dirt, ideal for outdoor cleaning - Reliably sticks to the backing of Pad Holder PHH20 & PHD20

Part No.	Size	Material	Pack
0PS20	25 cm	100 % polyester	10



#### PAD HOLDER (HANDHELD)

#### Aluminium handheld holder for indoor cleaning pads.

– Hooks & loops backing for attaching the pads

- Designed to enable perfect pressure application for thorough and precise cleaning - Easy to use

Part No.	Size	Pack
PHD20	24 cm	5



#### PAD HOLDER

#### Aluminium swivel head holder for indoor cleaning pads.

- Hooks & loops backing for attaching the pads - Swivel function allows access to hard to reach places

- Fits securely on all UNGER poles with thread
- Part No. Size Pack PHH20 24 cm 5



#### THREAD ADAPTER FOR ALU-POLES

#### Anodized aluminium adapter for fitting the Pad Holder to aluminium poles.

- Fits into any UNGER aluminium pole with 21mm diameter just click in
   Enables connection between aluminium poles and MultiLink Goosenecks, Extensions and Brushes
- Part No. Pack AFAET 5



#### SPRAYER ON A BELT

#### Fits to the belt for optimum weight support.

- Flexible hose allows upside down spraying
- 1 l bottle included
  - Compatible with standard bottles
  - Includes colour coding labels

Part No.	Content	Pack	
SOABG	11	5	

### NiftyNabber[®] – Grabber and Bagger System

Perfect for eco-friendly waste removal, indoor and outdoors, in industrial or domestic environment.

Durable, ergonomic and reliable **UNGER** grabbers are also perfect for easy reach and bend-free pick up of many daily objects.

# **LITTER PICKING & REACHING AIDS**





#### NiftyNabber® TRIGGER GRIP

#### Durable litter picker with a strong internal metal bar 360° fully rotating head:

- Access narrow areas
- Locks securely every 90°
- Robust metal bar inside, lightweight, designed to decrease fatigue Trigger Grip Handle: - Made with glass-reinforced plastic for increased durability
- Rubber Claws with Magnetic Tip:

- Reliable grip. Opens up to 10 cm wide and holds items up to 2 kg.

Part No.	Size	Pack	
NT060	63 cm	5	
NT080	83 cm	5	
NT090	93 cm	5	
NT100	102 cm	5	





#### PAPER PICKER

A lightweight tool with a strong metal pin for removing debris such as paper and cans. Ergonomic Design:

- No bending or back strain.

- Handle design positions arm and hand in the optimal position. Lightweight Shaft:

- Rust resistant.
- Strong Metal Pin:

- Long enough for picking up several pieces of debris at once.

<ul> <li>Will punch through and hold even thick, aluminium cans.</li> </ul>	_	Will punch	throug	h and	hold	even thick,	aluminium cans.	
-----------------------------------------------------------------------------	---	------------	--------	-------	------	-------------	-----------------	--

Part No.	Size	Pack	
PPPP0	100 cm	10	
PINP0	Replacement pins for Paper Picker	10	





#### NiftyNabber® PRO

#### Heavy duty litter picker

Steel Claws:

- Molded rubber overlay for an extra-secure grip.
   Powerful hold of small or oddly shaped objects broken glass, cigarettes or coins. - Opens up to 15 cm wide.
- Ergonomic handle:
- Comfortable pressure handle creates high pressure to hold dirt without tiring your hand. Rugged Design
- Strong enough for heavy-duty work, light enough to protect from back and arm strain. - Holds items up to 4,5 kg

Part No.	Size	Pack	
NN400	52 cm	5	
NN900	97 cm	10	
NN140	130 cm	5	
NN960	238 cm	6	







#### **NiftyNabber® BAGGER**

Durable and weatherproof waste carrier for 180 l bags that is a great multi-tasking alternative to plastic bags.

- Ergonomic: Allows to avoid unnecessary bending or lifting heavy bags.
- Always open for easy and safe access without touching litter
- Made of robust material for reduced injury risk from sharp waste.
- Robust:
- Can be pulled across the floor, asphalt or ground due to solid plastic bottom and carry

loops. – Carries up to 29.5 kg.


Practical:

-Folds flat and can be fixed with buttons for space-saving storage and transport.

Part No.	Size	Ø	Height	Colour	Pack	
NB300	151 l	55 cm	68 cm	٠	1	



# Professional Tools for daily and project cleaning tasks



138.

# **MICROFIBRE CLOTHS**





### MicroWipe 200 -Perfect Cleaning with low intitial investment.

### **NEW:** Now EU Ecolabel certified!

- High quality microfibre cloth. Resistant against frequent commercial wash cycles.
- Long service life low long-term costs.
- Best cleaning performance in this price range.
- Holds dust and absorbs a lot of water.
- Colour coding: available in 5 colours.



#### EU Ecolabel


The European Commission awards the EU Ecolabel to products that have a lower environmental impact than comparable products and are therefore healthier and more environmentally friendly. The criteria differ depending on the product group. In the case of textile and cleaning products, evaluation is based on the proportion of recycled materials, the limitation of toxic chemicals, the biodegradability as well as the cleaning performance and durability.

#### **GRADING SYSTEM**



- Guidelines for choosing the right microfibre for the right task
- Optimization of your return on investment (ROI) by purchasing the best grade for your needs
- Best microfibre quality in every grade

#### DURABILITY



#### **TEST DESCRIPTIONS**

The range of cleaning products that microfibre may be used for is dictated by many qualities, including fibre thickness, length, finishing, abrasiveness, absorbency, cloth dimension, edging and quality manufacturing techniques. **UNGER** has established several performance factors that have been tested, measured and validated by ASTM independent laboratories and other US standard industry tests. This criteria is designed to assist end users in the selection process when purchasing microfibre cloths.

- Durability (Wear Cycles)** The higher the factor, the greater number of times the microfibre cloth can be moved across an abrasive surface before wearing through and degrading or developing holes
- Scrub Factor (Abrasiveness)** The higher the scrub factor, the better the performance of the cloth in removing dirt and bacteria from surfaces and microscopic crevices
- **Absorbency*** The higher the factor, the more liquid the cloth will absorb and hold
- Wash Cycles A higher number of wash cycles indicates the longevity of the cloth through machine wash and dry cycles before deteriorating

**ASTM Tests *Standard US Industry Tests

# MICROFIBRE CLOTH SYSTEM MICROFIBRE CLOTHS & SPRAYER

#### SmartColor MicroWipe

High quality microfibre cloth. Resistant against frequent commercial wash cycles. Use the table below to choose the right grade to maximise the return on your investment.

Part No.	Size	Colour	Weight/m ²	Durability	Scrub Factor (Abrasivness)	Absorbency per m ²	Wash Cycles (approx.)	Material	Pack
4000									
MF40R	40 × 38 cm	•	450 g	4000**	38**	1700 ml*	1500		10
MF40J	40 × 38 cm	•	450 g	4000**	38**	1700 ml*	1500	80 % polyester,	10
MF400	40 × 38 cm	٠	450 g	4000**	38**	1700 ml*	1500	20 % polyamide	10
MF40B	40 × 38 cm	٠	450 g	4000**	38**	1700 ml*	1500		10
2000									
MB40R	40 × 40 cm	•	350 g	2000**	36**	1400 ml*	1000		10
MB40J	40 × 40 cm	•	350 g	2000**	36**	1400 ml*	1000	80 % polyester,	10
MB400	40 × 40 cm	٠	350 g	2000**	36**	1400 ml*	1000	20 % polyamide	10
MB40B	40 × 40 cm	•	350 g	2000**	36**	1400 ml*	1000		10
200 with	EU Ecolabel								
ME40R	40 × 40 cm	•	250 g	200**	39**	1700 ml*	200		10
ME40J	40 × 40 cm	•	250 g	200**	39**	1700 ml*	200		10
ME400	40 × 40 cm	٠	250 g	200**	39**	1700 ml*	200	80 % polyester, 20 % polyamide	
ME40B	40 × 40 cm	٠	250 g	200**	39**	1700 ml*	200	20 % potyannuc	10
ME40W**	* 40 × 40 cm	0	250 g	200**	39**	1700 ml*	200		10

Colours may vary from batch to batch. ***ME40W without EU Ecolabel



**ASTM Tests *Standard US Industry Tests, Details p. 63



18

30


SPR	ΔYFF	2 ON 4	RFIT

Fits to the belt for optimum weight support.

- Flexible hose allows upside down spraying
   1 l bottle included
- Compatible with standard bottles
- Includes colour coding labels

Part No.	Content	Pack	
SOABG	11	5	





### RECOMMENDED USAGE



### DUSTING **BRUSHES & DUSTERS**



1 Bag (5)

*

						LAMB er will not damage	<mark>uster®</mark> SWOOL even most delicate sur	faces.
		r <b>Duster</b> ® LL BRUSH	Ĩ		endable metal co	elps to remove dust with ore for access to hard-to		
			$\sim$	Part No.			Pack	
	for cleaning fans, walls rough surfaces and removi pole			LWDU0			6	
Part No.		Pack				and the second	100	
WALBO	Grad	5				2	StarDuster® PR0 DUSTER	
10 M	3			– Telescopic – Statically c	handle extends f	<b>uster with bendable</b> from 70 to 150 cm for du ile sleeve grabs and reta e	isting high objects	
•		nrDuster®		Part No.	Size	Info	Pack	
	LU	BWEB	LE/	LWDUR	70 – 150 cm	Duster + 1 Disp. Sle	eve* 10	
	alls, surfaces and corne	rs.		DS10Y	46 × 18 cm	Disposable Sleev	e* 1 Bag (10)	
	gy attracts and holds dust oly fibres for effective dustin	g		DS50Y	46 × 18 cm	Disposable Sleev	e* 1 Bag (50)	
- Locks on telescopi	c pole			*100 % polypro	pylene			
Part No.	Size	Pack						
OBW0	20 cm	6						
							StarDuster® PRO FLAT 75	
		PE BRUSH	Į.	Includes 3 – Made from – Microfibre s	disposable sle strong and flexib	<b>eeves</b> ble plastic ble and machine washa	eve, ideal for narrow sp	paces.
	ble for cleaning pipes a	and curved surfaces.		Part No.	Size	Material	Pack	
- Fits on telescopic p	pole			PFD7G	75 cm	Microfibre*	10	
Part No.		Pack		*100 % polyest	er			
IPEO		5			7			
Date:					6	1	StarDuster [®]	
	RU	BBER CLEANING S	PONGE			1000	PRO FLEX 75	
Made of natural vu away and holds du Suitable for cleanir surfaces, fabrics an	st, dirt and lint from any dry ng of painted walls and ceili nd a number of additional s	e highly absorbent sponge effer v surface. ngs, wallpaper, painted metal a urfaces		Includes 3 – Bends and – Microfibre	disposable sle retains shape to	eeves clean hard-to-reach ar ble and machine washa		ners.
- Widely used in mus <b>Part No.</b>	seum and antique restoratio			Part No.	Size	Material	Pack	
Part No. SP060		Pack 6		PXD7G	75 cm	Microfibre*	10	
5F000		0		*100 % polyest	er			
		rDuster®	<u>I</u>			Sta PF	ar <b>Duster®</b> RO FLAT/FLEX SL	EEVES
		TRICH FEATHER	ki handeliers.	- Effectively I	e <b>or reusable r</b> ift and hold the o sleeve is machin		bre sleeves.	
- Fits on telescopic p				Part No.	Ir	nfo Mate	rial Pack	
Part No.		Pack		PS50W		ble Sleeve *		
				DMOEW	Missefik		1 Dec (E)	

Part No.	Pack
FEDU0	6

Microfibre Sleeve

PM05W

## FLOOR CLEANING erGO! clean

### Feel the intuitive motion

Discover the intuitive S-shape motion with minimal effort: the ultrafast floor cleaning system

#### READY-TO-GO AT ANY TIME AND ANYWHERE

- Ready-to-use immediately
- No lengthy preparation, such as filling buckets, required
- Cleaning chemicals can be replaced in a matter of seconds.

### INCREASED PRODUCTIVITY WITH FATIGUE-FREE WORK

- Reduces the extreme strain placed upon employees and prevents work-related musculoskeletal diseases
- No lifting and carrying of heavy buckets
- Significantly less effort required for use

#### A TOP-QUALITY PROFESSIONAL TOOL

- First-class materials guaranteeing a long service life
- Robust tool for long-term use

THE erGO! clean SYSTEM

SUPERIOR ERGONOMICS

erGO! clean KITS WITH TANK

S-Telescopic Handle FAEPL

Telescopic Handle FASPL

**OUTSTANDING EFFICIENCY AND** 

Mop Pad Holder & Cleaning Pad 40 cm FAVMH / FAVMC

Tank 1.000 ml & Colour Coding Rings FABTL / FAORS

Pocket Mop Holder & Pocket Mop 40 cm FAPMH / FAPMM

Product/PART. NO

Tested by:

erGO! clean:

• Sophisticated product design for intuitive handling



ManageMen.

UNIVERSITÄT

sarikohn

HyCo Mück

66

Þ

### FLOOR CLEANING & FLOOR FINISHING erGO! clean & erGO!wax



# The intuitive S-motion in series!

Performance without limits! Perfect cleaning results with a maximum number of square metres and minimum training effort.

#### erGO! clean KIT <u>WITHOUT</u> TANK

Product/PART. NO	Flat Mop Starter Kit FAKT8	A.
S-Telescopic pole without trigger FAPLW		~
Pocket mop holder 40 cm FAPMH		$\checkmark$
Flat mop 40 cm FAPML		$\checkmark$
Pocket mop 40 cm FAPMM		
Mop Pad Holder 40 cm FAVMH		
Cleaning Pad 40 cm FAVMC		
SmartColor Combo 15l, grey COMSG		~



erGJ! wax

### More efficient than ever before! Ultra-fast & ergonomic with just one person.

### INCREASED PRODUCTIVITY THANKS TO CONTINUOUS WORK WITHOUT INTERRUPTION

- No lifting or carrying heavy buckets
- Lint free and non-soaking sleeve for easy and perfect distribution of the finishing fluid
- Perfect working results with an even application of the cleaning agent by the blockage-free pulse spray system – which also guarantees precise dosing.

#### erGO! wax KITS Floor-Finishing-Kit Floor-Finishing-Kit Finishing Pad WonderWaxer Product/PART. NO FΔKT5 **ΕΔΚΤ**Α S-Telescopic Handle FAEPL 1 Telescopic Handle FASPL $\checkmark$ Pocket Mop Holder 40 cm FAPMH Mop Pad Holder & Finishing Pad 40 cm FAVMH / FAVMF ✓/3× WonderWaxer Holder & Sleeve 40 cm QS020 / QS010 ✓/3× Tank 1.000 ml FABTL 1 Backpack 5 l FABAP J 1

### **FLOOR CLEANING & FINISHING** erGO! clean & erGO! wax



#### Ergonomic floor handle with rotateable grip

 FAEPL/FAPLW: Supports intuitive S-shape motions - FAEPL/FASPL: Blockage-free pulse jet system for precise dosing and integrated dosing lever

Part No.	Size	Version	Pack
FAPLW	1,30 – 1,70 m	S-Shape w/o tank	1
FAEPL	1,30 – 1,70 m	S-Shape w/ tank holder	1
FASPL	1,30 – 1,70 m	Straight w/ tank holder	1



#### Cleaning Pad and Pocket Mop Holders 40 cm

#### - Cleaning Pad: for any looped pile flat mop, quick & easy operation

- Pocket: for any standard pocket mop or UNGER flat mop
- Click connection for erGO! handles

Part No.	Size	Version	Pack
FAVMH	40 cm	Cleaning Pad	5
FAPMH	40 cm	Pocket Mop	5




Cleaning Pad, Pocket- and Flat Mop 40 cm - High quality microfibre pile mops for easy glide and superb cleaning action

- Compatible to all standard systems
- Incl. colour coding stripes

Part No.	Size	Product	Pack
FAVMC	40 cm	Cleaning Pad*	5
FAPMM	40 cm	Pocket Mop*	5
FAPML	40 cm	Flat Mop*	5

*100 % polyester microfibre



#### Easy connection tanks for erGO! handles

- 1.000 ml capacity
- Including unscrewable pulse jet unit - Easy to fill, easy to assemble and to the handle

Part No.	Size	Product	Pack
FABTL	1.000 ml	Tank	1
FAORS	1 pack = 4 pieces	Colour Coding Rings	1
FAVAS		Pulse Jet Unit	1
FADTS	1 pack = 5 pieces	Dispenser tube	1



#### - Stabilisation hooks for straight fit of the sleeve

- For floor finishing
- Click connection for erGO! handles

Part No.	Size	Pack	
QS020	40 cm	5	



#### erGO! WAX SLEEVE/FINISHING PAD

#### WonderWaxer sleeve and Finishing Pad 40 cm

- Perfect for finishing floors - Distributing wax without soaking it up
- Up to 300 wash cycles
- Lint-free material for perfect results

Part No.	Size	Product	Pack
QS010	40 cm	WonderWaxer*	10
FAVMF	40 cm	Finishing Pad*	5

*100 % polyester microfibre





#### erGO! BACKPACK 5 L

#### For transportation of finishing or cleaning chemicals

- Strong nylon backpack with solid 5 l plastic pouch
   Available filling utilities like hose and canister valves
- Connection hose incl. pulse-jet-unit to connect the backpack with the erGO! handle

110 01 0 01 1101	1410			
Part No.	Size	Product	Pack	
FABAP		Backpack	1	
FABAR	5 l	Pouch	5	
FABAH		Connection Hose	1	
FABAK		Refill Kit	1	

## **FLOOR CLEANING DOUBLE BUCKET & MICROFIBRE MOPS**






#### SmartColor COMBO 30 L

#### Complete dual bucket with press.

- Two compartments keep clean and dirty water separated
- Emptying via drain spout and dump spout - Labels included for colour coding
- Complete with vertical press
- Available accessories: Adapter hose WH180



- Two compartments keep clean and dirty water separated
- Labels included for colour coding
- Complete with vertical press
- Available accessories: Adapter hose WH180, side bucket SMSBG



#### Heavy duty adapter hose for dual bucket.

Fits on every standard water tap
Allows for convenient filling of bucket on-site

Part No.	Size	Pack	
WH180	180 cm	10	
SB206	CB2	00G	
•	WIVEL BRUSH &	BRUSH	
– Durable polypropyle – Swivel head is easy	s, edges of floors, walls ne bristles remove even sevi to maneuver and reduces be ide optimal cleaning of corni colour coding	ere dirt ending and over-reaching	

- ACME threaded handle socket

Part No.	Size	Pack
SB20G	20 × 8 cm	10
CB20G	22 cm	10

#### SmartColor FLAT MOP HOLDER

#### Swivel head mop holder with the new "no spin" design.

- UNGER mops fit securely with holding clips and can stay on during wringing
- Large surface provides more direct cleaning contact, more scrubbing pressure
- Reduces cleaning time by up to 10 % and reaches in all corners
- Folds at the push of a button, for wringing or replacing mop

– Handle socke	t for cones or	handles with 21 a	ind 23 mm diam	ieter, respectively	
Part No.	Size	Ø	Colour	Pack	
SM40G	40 cm	21–23 mm	•	5	



#### SmartColor MICR0 MOP 15.0

#### Durable microfibre mop, ideal for tiles and stone floors with grout lines.

- Heavy duty 15 mm long fibres with large surface area
   Cut microfibre for improved dirt absorption and streak-free cleaning
- Reduces bacterial contamination by up to 96 %
- Holds 6 times its own weight in water perfect for cleaning large areas - Machine washable up to 500 times
- Fits on UNGER Flat Mop Holder SM40G + erGO! Pocket Mop Holder FAPMH

Part No.	Size	Colour	Material	Pack	
MM40R	40 cm	•	Microfibre*	5	
MM40Y	40 cm	•	Microfibre*	5	
MM400	40 cm	٠	Microfibre*	5	
MM40B	40 cm	•	Microfibre*	5	

*Support material: 100 % polyester; Fibres: 100 % polyester



### SmartColor MICR0 M0P 7.0

- Microfibre mop, ideal for vinyl or sealed floors without grout lines.
- 7 mm long fibres
- Cut microfibre for improved dirt absorption and streak-free cleaning
- Reduces bacterial contamination by up to 96 %- Machine washable up to 500 times
- Fits on UNGER Flat Mop Holder SM40G + erGO! Pocket Mop Holder FAPMH

Part No.	Size	Colour	Material	Pack
MD40R	40 cm	•	Microfibre*	5
MD400	40 cm	٠	Microfibre*	5
MD40B	40 cm	•	Microfibre*	5

*Support material: 100 % polyester; Fibres: 100 % polyester

1

#### **BENEFITS OF USING UNGER'S 100 % MICROFIBRE** MOPS

- Clean with less water, less chemicals and less streaking • Reduces bacterial contamination up to 96 % compared to
- traditional mop heads
- Long lasting and durable, withstands up to 500 wash cycles

# FLOOR CLEANING MICROFIBRE MOPS & FLOOR SQUEEGEES



💭 Floor Handles p. 72

This information provided in this chard is for guidance only. No responsibility accepted for accuracy. *To clean wooden floors or sealed surfaces, use damp or dry mop.

 $\bigcirc$ 

Floor Handles p. 72

FLOOR SQUEE	GEES		
Squeegee	Dual Blade Unsealed Concrete Sealed Concrete Steel Industrial Carpet Tarmac Marble Vinyl Vinyl Rubble Stone/Stoneware Rubble Stone/Stoneware Rubble Stone/Stoneware Rubble Stone/Stoneware Rubble Stone/Stoneware	adqqnb Solvent Resistan ce* Acid Resistan ce*	Inserts &
Sanitary Combi Squeegee + Brush	✓ ✓ ✓ ✓ ✓ ✓ ✓ Push and dry: Water, liquids, solvents	Natural rubber (black and natural foam [+] + + material)	ACME thread
WaterWand (black Rubber)	✓ ✓ ✓ ✓ ✓ ✓ ✓ Push and dry: Water, liquids, solvents	Black neporene rubber (Chlorophen, foam material)	Universal socket p. 75
WaterWand (red Rubber)	✓ ✓ ✓ ✓ ✓ ✓ Push and dry: Water, liquids, solvents	Red neoprene rubber (Chlo- rophen, foam material) + ++ ++	Universal socket p. 75
AquaDozer®	Push away high volumes VVVVVVVVV Water, dirt, waste, shaving snow		Conical universal socket p. 75

* Aliphatics, Aromatics, Ketones, Varnishes

** Lubricating Oils, Oils, Gasolines, Essential Oils, Carrier Oils

## FLOOR CLEANING FLOOR SQUEEGEES





SANITARY COMBI BRUSH

Pack

10

10

2 tools in one: Brush with polypropylene bristles and squeegee with double blade foam rubber blade, black. ACME thread.

Size

45 cm

55 cm


Scrubber to remove dirt
Foam rubber blade for drying floors and joints


– Very sturdy, but lightweight

Part No.


PB45A

PB55A





The double blade ensures effective removal of liquid on all types of flat surfaces, even with grooves, tile joints or textured finish.




#### **RED RUBBER**

- Excellent resistance to oils, acids, greases and solvents
- Ideal for cleaning in factories, garages and vehicle maintenance facilities



#### **BLACK RUBBER**

- All-purpose foam rubber
- Perfect for cleaning in most areas



## **FLOOR CLEANING FLOOR HANDLES**



#### Ergonomic aluminium telescopic handles.

Length can be adjusted and secured at any point to suite individual height
 Cone fits all UNGER mop holders

- Labels included for colour coding

Part No.	Size	Ø	Colour	Pack	
FAPLW	1,30 – 1,70 m	21 mm	۲	1	
EZ25G	1,30 – 2,50 m	21 mm	•	10	

#### MOPHANDLE

#### Lightweight aluminium mop handle.

Mop holder snaps into place
 Solid and light, made of aluminium, with ergonomic plastic handle

Part No.	Size	Ø	Colour	Pack
MH140	1,40 m	23 mm	•	20

#### ProAlu 1,5° HANDLE

#### Handle with 1,5° taper socket.

- Lightweight and solid aluminium – Handle Ø 25 mm

Part No.	Size	Ø	Pack	
AL140	1,40 m	25 mm	10	

#### ProAlu ACME

Handle with ACME threaded zinc alloy tip. Lightweight and solid aluminium
 Handle Ø 25 mm

Part No.	Size	Ø	Pack
AL14A	1,40 m	25 mm	10

#### ProAlu 3,0° HANDLE

Handle with 3,0° taper socket combined with ACME threaded zinc alloy tip. - Lightweight and solid aluminium - Handle Ø 25 mm

Part No.	Size	Ø	Pack	
AL14T	1,40 m	25 mm	10	

Holder/Squ	eegee		FAPLW	MH140	EZ25G	AL14A	AL14T	AL140	,O
	Diameter		Ø 21 mm	Ø 23 mm	Ø 21 mm	Ø 25 mm	Ø 25 mm	Ø 25 mm	
			Hole	Hole for C-Clip	ACME Thread	ACME Thread	ACME Thread	Conical	
	Inserts & Threads		8	1	i i	ĥ			
-	erGO! Pocket Mop Holder	FAPMH	~		~				p. 68
ala	SmartColor Mop Holder	SM40G	~	~	~				p. 69
4	erGO! Mop Pad Holder	FAVMH	~		~				p. 68
	Sanitary Combi Brush	PB45A PB55A			~	~	~		p. 71
the second	SmartColor SWIVEL Brushes	SB20G CB20G			~	$\checkmark$	~		p. 69
	WaterWand	MW450 HMxxx HWxxx				+ FWAI0	+ FWAI0	~	p. 71
	AquaDozer®	FP600 FP900				+ FAAI0	$\checkmark$		p. 71

# **FLOOR SCRAPERS & MAINTENANCE TOOLS**



FLOOR SC	RAPER LIGH	IT DUTY		-
For light jobs, with 1,20 m ergonomic bi-component handle. – Convenient operation while standing – Reversible sharp/blunt edge blade				
Part No.	Length	Blade	Pack	
LH120	1,20 m	10 cm	10	
Stainless Stee	l Floor Scraper B	ades 10 cm. R	eversible sharp/blun	t edge blade.
RB100	1 Dispenser	= 10 blades	10 Dispensers	

#### FLOOR SCRAPER HEAVY DUTY

For heavy duty jobs, with 1,50 m steel handle.

Convenient operation while standing
Reversible sharp/blunt edge blade

Part No.	Length	Blade	Pack	
HDSS0	1,50 m	20 cm	1	
Floor Scrape	r Blades 20 cm. R	eversible shar	p/blunt edge blade.	
HDSB0	1 Dispenser	= 10 blades	5 Dispensers	



#### **ERGO DUST PAN**

#### For quick and thorough waste removal.

- Ergonomic and convenient - Dust pan opens when raised, and retains the waste

Complete wax applicator with 1,40 m handle. For applying finishing fluid to wooden floors
Convenient operation while standing - Swivel head, replaceable sleeve with snap fasteners

Size

40 cm

Size

40 cm

WonderWaxer REPLACEMENT SLEEVE

opic handle (EDTBG), can be adjusted to suit individual height

recescopie ne		adjusted to suit ine	ividuatificigite
Part No.	Size	Туре	Pack
EDTBG	83 × 30 cm	Telescopic	6
EDPBR	83 × 30 cm	Standard	6



#### HANG UP

#### All-purpose tool holder. Tools are inserted from front.

Available in 2 versions (3 or 6 holders). - Tools snap into rubber rolls in front

- Practical and ideal for quick access
- Simply attach to wall, using dowels
- For diameter Ø 21 32 mm

Part No.	Size	Ø	Info	Pack	
H0350	35 cm	21–32 mm	3 holders	5	
H0700	70 cm	21–32 mm	6 holders	5	



#### HOLD UP

Tools are inserted from the bottom and held in place by strong rubber grips. Simply attach to wall, using dowels - Equipped with hooks on the front to hang up smaller tools

Part No.	Size	Pack
HU450	45 cm	5

#### WONDER WAXER

*65 % polypropylene, 35 % polyester

**WonderWaxer** 

Part No.

Part No.

QS010

i

QS140

The superlight WonderWaxer is ideal for applying wax to almost all types of floor. The head swivels to reach difficult areas. The low-lint fabric sleeve is replaceable and fits firmly on the T-bar with snap fasteners. The WonderWaxer is perfect for use on gym and commercial floors. Perfectly fits to 28 l bucket QB220 on page 54.

Material

Blended fabric*

Material

Blended fabric*

Pack

10

Pack

10

## WASHROOM CLEANING **TOILET & WASHROOM CLEANING**



#### **ERGO TOILET BRUSH COMPLETE**

#### Complete kit for professional application.

- Features 66 cm handle with 360° cleaning radius
   Replaceable brush heads or swabs available
- Hygienic, ergonomic holder is lightweight and keeps
- bacteria isolated - Holder can be hand-carried or hung on cart and features
- a detachable base for easy emptying

Part No.	Content	Pack	
BBWHR	Brush, Holder, Replacement Head	5	



#### Ergonomic squeegee for mirrors and smooth surfaces.

- Ergonomic bi-component handle, designed for comfortable hold
   Stainless steel S-Channel with variable positioning options
- Professional quality Soft Rubber for optimal cleaning results

Part No.	Size	Pack	
ES35R	35 cm	10	
NE350	35 cm	10	
RR350	35 cm	10	



#### Ergonomic toilet brush for professional application.

Features 66 cm handle with 360° cleaning radiu

- Replaceable brush heads and swabs available

Part No.	Content	Pack	
BBCOR	2 × Brush head + 1 × handle	5	
BBHLR	Brush Holder	5	
BBRHR	2 × Brush head	5	



#### NiftyNabber® WASHROOM

#### The hygienic all-purpose grabber.

- Keeps refuse at a distance with a 53 cm long handle
   Solid design made of aluminium and metal
- Powerful rubber-coated claws for firm and precise grip
- of objects

Part No.	Size	Pack
NN40R	53 cm	5



#### StripWasher® WASHER SLEEVE

#### Durable microfibre washer for cleaning mirrors and walls.

- Superior cleaning power High water retention – up to 6 times its own weight, ideal for cleaning larger areas
 Machine washable up to 500 times sleeve with side scrub pad

Part No.	Size	Material	Pack	
NS45R	45 cm	Microfibre**	10	

**Support material: 100 % polyamide; Fibres: 100 % polyethylene




#### ERGO WALL SQUEEGEE

- Light twin blade foam rubber - for drying tiles and grout lines

- Streak-free cleaning
- T-bar material made of acid proof polypropylene
- Ergonomic handle, detachable squeegee also fits on pole

Part No.	Size	Colour	Pack	
EW35G	35 cm	•	10	

# **SPARE PARTS**




### Always on the safe side

HYDRO POWER' ROS

In a separate list **UNGER** offers spare parts and consumables for the most common products from all categories. You can obtain the spare parts from your specialist dealer.







#### SPARE PARTS LIST DOWNLOAD

This QR code leads you to the digital spare parts overview on the **UNGER** website:





## WHENEVER YOU NEED INFORMATION -YOU CAN FIND US EVERYWHERE

Discover everything you need to know about **UNGER** products and the latest cleaning technologies on our homepage **ungerglobal.com** and in our social media channels. Experience **UNGER** live at numerous trade fairs.



Terms of delivery and payment: This product assortment, valid from 01.04.2025, replaces all previous lists. The general terms of delivery and payment of UNGER Germany GmbH apply · No responsibility accepted for accuracy; subject to change without notice.

UNGER Germany GmbH Piepersberg 44 D-42653 Solingen GERMANY Tel.: (49) 0212 2207 260 Fax: (49) 0212 2207 222 ungereurope@ungerglobal.com

#### UNGER Enterprises LLC.

425 Asylum Street Bridgeport, CT 06610 USA Tel.: (1) 800 431 2324 Fax: (1) 800 367 1988 unger@ungerglobal.com

#### UNGER UK Ltd.

F1 Deansgate, 62-70 Tettenhall Road Wolverhampton, WV1 4TH UNITED KINGDOM Tel.: (44) 01902 306633 Fax: (44) 01902 306644 ungeruk@ungerglobal.com

